

Masimo Product Catalog

2020 – Q4





This catalog contains Masimo proprietary material and is provided for information purposes only. No part of this catalog may be reproduced or retransmitted without Masimo's prior written consent.

The purpose of the product catalog is to provide a general listing of Masimo products, and it is not intended to represent products that are offered for sale. Please see local Masimo representatives for the commercially available products in specific regions/countries with the appropriate regulatory approvals/clearances.

For professional use. See instructions for use for full prescribing information, including indications, contraindications, warnings, and precautions.

Caution: Federal (USA) law restricts this device to sale by or on the order of a physician. See instructions for use for full prescribing information, including indications, contraindications, warnings, and precautions.

Regulatory Notice

The following products, features and/or functions are not available for sale in the United States:

ATA (Adaptive Threshold Alarm); Eve (Newborn CCHD Screening Application); Halo Index; iSpO2; ORi (Oxygen Reserved Index); rainbow® Pleth Variability Index (RPVi); rainbow® Super DCI-mini; RD rainbow Lite SET-1 and RD SedLine Pediatric.

The following products are not available for sale in Canada:

Rad-G Pulse Oximeter, rainbow® Pleth Variability Index (RPVi), rainbow® Super DCI-mini, RD rainbow 4λ, RD rainbow 8λ SpCO and TIR-1, Bridge, Radius PCG.

Masimo Corporation
52 Discovery
Irvine, CA 92618, USA
Tel.: 949-297-7000
Fax.: 949-297-7001
www.masimo.com



Authorized representative in the European Community:



MDSS GmbH
Schiffgraben 41
D-30175 Hannover, Germany

Patents: www.masimo.com/patents.htm

Masimo, , 3D Alarm, Blue, Cleanshield, DCI, EMMA, E1, Iris, Iris Gateway, iSpO2, Kite, LNCS, M-LNCS, MOC-9, MightySat, NomoLine, NomoLine-O, O3, Pronto, Pulse CO-Oximeter, PVi, Rad, Rad-5, Rad-5v, Rad-57, Rad-8, Radical, Radical-7, Radius-7, Rad-97, rainbow, rainbow Acoustic Monitoring, RAM, RDS, RD SET, RD rainbow Lite SET, RD rainbow SET, rainbow SET, RRA, RRP, Root, SatShare, SedLine, SET, SpCO, SpHb, SpMet, TFA-1, TF-I, and uSpO2 are registered trademarks of Masimo Corporation.

3D Desat Index Alarm, Bridge, Centroid, Eve, ISA, Masimo SafetyNet, ORi, Rad-G, RAS-45, Rad-67, Radius PCG, Radius PPG, RD rainbow, RD SedLine, Replica, RPi, Sketch, SoftTouch, Trace, and UniView are trademarks of Masimo Corporation.

Apple, iPad, iPhone, iPod, iPod touch, and Lightning are trademarks of Apple Inc.

"Made for iPod," "Made for iPhone," and "Made for iPad" mean that an electronic accessory has been designed to connect specifically to iPod, iPhone, or iPad, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod, iPhone, or iPad may affect wireless performance.

The use of the trademark PATIENT SAFETYNET is under license from University HealthSystem Consortium.

All other trademarks and registered trademarks are property of their respective owners.

The devices provided in the catalog may not have been licensed in accordance with applicable Federal Laws.

© 2020 by Masimo Corporation.

CONFIDENTIAL AND PROPRIETARY – INTERNAL USE ONLY



Contents

Monitoring Devices.....	5
Masimo rainbow® Pulse CO-Oximeter® Devices.....	5
SedLine® Brain Function Monitoring.....	17
O3® Regional Oximeter Monitoring.....	19
NomoLine® Capnography.....	21
Noninvasive Blood Pressure (NIBP).....	35
Temperature.....	41
Masimo Patient SafetyNet™ System.....	43
Replica™.....	49
Masimo SafetyNet™.....	51
Kite® and UniView™ Supplemental Display.....	52
Philips® Compatible Devices.....	54
GE® Healthcare Compatible Devices.....	55
Therapeutic Devices.....	57
Bridge™.....	57
Parameter Options and Upgrade Tools.....	59
Masimo rainbow SET Parameter Options.....	59
TNI softFlow.....	65
Hospital Consumables, TNI softFlow 50.....	66
Humidifier, Home Care, TNI softFlow 50.....	67
Parts/Consumables, TNI softFlow 50.....	68
Stand and Carrier Bag, TNI softFlow 50.....	69
Hospital Applicators, TNI softFlow 50.....	69
Home-care Applicators, TNI softFlow 50.....	70
Applicator Accessories, TNI softFlow 50.....	71
Nasal Cannula TNI softFlow Junior.....	72
Applicator Accessories, TNI softFlow junior.....	72
Sensors and Cables.....	73
Tetherless Sensors.....	73
RD rainbow SET Adhesive Sensors (for rainbow SET Devices with SpHb, SpO ₂ , and SpMet).....	75
RD rainbow™ 8λ SpCO Adhesive Sensors (for rainbow SET Devices with SpCO, SpO ₂ , and SpMet).....	76
RD rainbow 8λ Adhesive Sensors (for rainbow SET Devices with SpO ₂ and PVi).....	77
RD rainbow Lite SET® Adhesive Sensors (for rainbow SET Devices with SpO ₂ and ORi).....	78
rainbow® Adhesive Sensors (for rainbow SET Devices with SpO ₂ , SpCO, and SpMet).....	79
rainbow® Reusable Spot Check Sensors (for rainbow SET Devices with SpHb, SpO ₂ , SpMet).....	80
rainbow® Reusable Sensors (for rainbow SET Devices with SpCO, SpO ₂ , and SpMet).....	81
rainbow® Patient Cables (for rainbow SET Devices).....	82
rainbow Acoustic Monitoring® Sensor and Cables.....	87
Training Kits.....	90
RD SET Single Patient Use Sensors.....	91
RD SET Specialty Sensors.....	93

RD SET Cabled Sensors	93
RD SET Reusable Sensors	98
RD SET Patient Cables	100
RD SET Adapter Cables	104
LNCS Single Patient Use Sensors	105
LNCS Single Patient Use Sensors with Replaceable Tapes	108
LNCS Specialty Sensors	110
LNCS Reusable Sensors	111
Red LNC Patient Cables (for use with Masimo rainbow SET Devices)	112
LNC Patient Cables (for use with Masimo SET® Devices)	114
LNCS Adapter Cables	116
Direct Connect Sensors (for Masimo rainbow SET Devices)	117
Direct Connect Sensors (for Rad-G Pulse Oximeter)	118
Accessories	119
Demo Tools	119
Software	120
Device Accessories	121
Sensor Accessories	127
SatShare Extension Cable	130
SatShare Interface Cables	131
Index	135

Monitoring Devices

Masimo rainbow® Pulse CO-Oximeter® Devices


Bedside Instruments

PN	Description	UM	Product Image
9515	Root® For use with Radical-7®, Radius-7® and MOC-9® modules. - Screen Size: 10.1 in (25.65 cm) - Resolution: 1280 x 800 Pixels - Color: 24-bit RGB - Display Type: Backlit Active Matrix TFT LCD - Touchscreen: Multi-Touch P-Cap Provides Ethernet connection, nurse call connector, USB 2.0 Ports, MOC-9 ports, and Iris® Connectivity Ports. Comes with choice of power cords.	EA	
9695	Root With Noninvasive Blood Pressure and Temperature For use with Radical-7, Radius-7 and MOC-9 modules. - Screen Size: 10.1 in (25.65 cm) - Resolution: 1280 x 800 Pixels - Color: 24-bit RGB - Display Type: Backlit Active Matrix TFT LCD - Touchscreen: Multi-Touch P-Cap - Integrated Blood Pressure Module - Integrated Temperature Module Provides Ethernet connection, nurse call connector, USB 2.0 Ports, MOC-9 ports, and Iris Connectivity Ports. Comes with choice of power cords.	EA	
9021	Radical® Docking Station, RDS®-1 Comes with a choice of power cord and serial output connector, Analog output / nurse call connector and SatShare® cable connector.	EA	
9023	Radical Docking Station, RDS-3 limited communication capabilities. Comes with choice of power cord and serial output connector and Analog output / nurse call connector.	EA	

PN	Description	UM	Product Image
9500	Radical-7 Handheld Includes SpO₂, Pulse Rate and Perfusion Index (Pi) parameters as well as one RD rainbow SET®, Red LNCS® or rainbow® Patient Cable. Can be configured with optional rainbow® parameters and features in cleared countries only. Check with customer service on availability: • Total Hemoglobin (SpHb®) • Pleth Variability Index (PVi®) • rainbow® Pleth Variability Index (RPVi™)* • Oxygen Reserve Index (ORi™)* • Carboxyhemoglobin (SpCO®) • Methemoglobin (SpMet®) • Oxygen Content (SpOC®) • Acoustic Respiration (RRa®) • Respiration Rate from Pleth (RRp®) • Adaptive Threshold Alarms (ATA) • Eve™ (Newborn CCHD Screening Application)* This unit ships standard with a 802.11 wireless radio. <i>*Available in countries where cleared.</i>	EA	
9903	Radius-7 Wi-Fi Kit Includes: • 2 battery modules • 1 Wi-Fi instrument module • 1 battery charging adapter Includes SpO₂, Pulse Rate, Perfusion Index (Pi) parameters, and Acoustic Respiration (RRa). RD Sensor compatibility. Can be configured with optional rainbow® parameters and features in cleared countries only. Check with customer service on availability: • Total Hemoglobin (SpHb) • Pleth Variability Index (PVi) • Oxygen Reserve Index (ORi)* • Carboxyhemoglobin (SpCO) • Methemoglobin (SpMet) • Oxygen Content (SpOC) • Respiration Rate from Pleth (RRp) <i>*Available in countries where cleared.</i>	EA	

PN	Description	UM	Product Image
9916	Radius-7 Kit (Bluetooth only) Includes: • 2 battery modules • 1 instrument module • 1 battery charging adapter Includes SpO₂, Pulse Rate, Perfusion Index (Pi) parameters, and Acoustic Respiration (RRa). RD Sensor compatibility. Can be configured with optional rainbow® parameters and features in cleared countries only. Check with customer service on availability: • Total Hemoglobin (SpHb) • Pleth Variability Index (PVi) • Oxygen Reserve Index (ORi)* • Carboxyhemoglobin (SpCO) • Methemoglobin (SpMet) • Oxygen Content (SpOC) • Respiration Rate from Pleth (RRp) <i>*Available in countries where cleared.</i>	EA	
9914	Radius-7 Wi-Fi Conversion Kit • 1 battery charging adapter • 1 Wi-Fi instrument module Battery modules are compatible with both the RD and M-LNCS versions of Radius-7, and hence are not included in the RD Radius-7 conversion kits. Can be configured with optional rainbow® parameters and features in cleared countries only. Check with customer service on availability: • Total Hemoglobin (SpHb) • Pleth Variability Index (PVi) • Oxygen Reserve Index (ORi)* • Carboxyhemoglobin (SpCO) • Methemoglobin (SpMet) • Oxygen Content (SpOC) • Respiration Rate from Pleth (RRp) <i>*Available in countries where cleared.</i>	EA	No Image
9917	Radius-7 Conversion Kit (Bluetooth Only) • 1 battery charging adapter • 1 instrument module Battery modules are compatible with both the RD and M-LNCS versions of Radius-7, and hence are not included in the RD Radius-7 conversion kits. Can be configured with optional rainbow® parameters and features in cleared countries only. Check with customer service on availability: • Total Hemoglobin (SpHb) • Pleth Variability Index (PVi) • Oxygen Reserve Index (ORi)* • Carboxyhemoglobin (SpCO) • Methemoglobin (SpMet) • Oxygen Content (SpOC) • Respiration Rate from Pleth (RRp) <i>*Available in countries where cleared.</i>	EA	No Image

PN	Description	UM	Product Image
9738	Kit, Rad-97® Pulse CO-Oximeter Includes SpO ₂ , Pulse Rate, Perfusion Index (Pi) and one M20 patient cable. Can be configured with optional rainbow® parameters and features in cleared countries only. Check with customer service on availability: • Total Hemoglobin (SpHb) • Pleth Variability Index (PVi) • Oxygen Reserve Index (ORi)* • Carboxyhemoglobin (SpCO) • Methemoglobin (SpMet) • Oxygen Content (SpOC) • Acoustic Respiration (RRa) • Respiration Rate from Pleth (RRp) • Eve (Newborn CCHD Screening Application)* <i>*Available in countries where cleared.</i>	EA	
9797	Kit, Rad-97 Pulse CO-Oximeter Includes SpO ₂ , Pulse Rate, Perfusion Index (Pi) and one M20 patient cable. Can be configured with optional rainbow® parameters and features in cleared countries only. Check with customer service on availability: • Total Hemoglobin (SpHb) • Pleth Variability Index (PVi) • Oxygen Reserve Index (ORi)* • Carboxyhemoglobin (SpCO) • Methemoglobin (SpMet) • Oxygen Content (SpOC) • Acoustic Respiration (RRa) • Respiration Rate from Pleth (RRp) • Eve (Newborn CCHD Screening Application)* <i>*Available in countries where cleared.</i>	EA	
9799	Kit, Rad-97 Pulse CO-Oximeter with NomoLine® Capnography Includes SpO ₂ , Pulse Rate, Perfusion Index (Pi), integrated NomoLine Capnography module and one M20 patient cable. Can be configured with optional rainbow® parameters and features in cleared countries only. Check with customer service on availability: • Total Hemoglobin (SpHb) • Pleth Variability Index (PVi) • Oxygen Reserve Index (ORi)* • Carboxyhemoglobin (SpCO) • Methemoglobin (SpMet) • Oxygen Content (SpOC) • Acoustic Respiration (RRa) • Respiration Rate from Pleth (RRp) • Eve (Newborn CCHD Screening Application)* <i>NomoLine Sampling Lines must be ordered separately.</i> <i>*Available in countries where cleared.</i>	EA	

PN	Description	UM	Product Image
9190	Rad-8®, Horizontal Comes with either an RD SET® or LNCS Patient Cable and a power cord.	EA	
9191	Rad-8, Vertical Comes with either an RD SET or LNCS Patient Cable and a power cord.	EA	

Handheld Instruments

PN	Description	UM	Product Image
9794	Kit, Rad-67® Spot Check Pulse CO-Oximeter Includes SpO₂, Pulse Rate, Perfusion Index (Pi), Total Hemoglobin (SpHb) and one rainbow® M20 patient cable. Can be configured with optional rainbow® parameters in cleared countries only. Check with customer service on availability: • Pleth Variability Index (PVi)* • Carboxyhemoglobin (SpCO)* • Methemoglobin (SpMet)* • Oxygen Content (SpOC)* rainbow® Sensor must be ordered separately. Next Generation SpHb technology is only available with the DCI®-mini sensor. Shown with optional rainbow® DCI-mini sensor. <i>*Available in countries where cleared.</i>	EA	
9216	Rad-57® Configurable Pulse CO-Oximeter Includes SpO₂, Pulse Rate and Perfusion Index (Pi) parameters. The Rad-57 can ship with or be field upgraded with: • Total Hemoglobin (SpHb) • Pleth Variability Index (PVi) • Carboxyhemoglobin (SpCO) • Methemoglobin (SpMet) • Oxygen Content (SpOC) Sensor must be ordered separately. Shown with rainbow® Adult Reusable Sensor and in optional protective boot.	EA	
9167	Pronto® Spot Check Pulse CO-Oximeter Includes SpO₂, Pulse Rate, Perfusion Index (Pi) and SpHb parameters. rainbow® sensor must be ordered separately.	EA	

PN	Description	UM	Product Image
9849	Rad-G™ Pulse Oximeter (with Patient Cable) Includes SpO₂, Pulse Rate, Perfusion Index (Pi), pleth variability index (PVi), Respiration Rate from Pleth (RRp) and one RD SET G15 patient cable. Sensor must be ordered separately.	EA	
9847	Rad-G Pulse Oximeter (with Sensor) Includes SpO₂, Pulse Rate, Perfusion Index (Pi), pleth variability index (PVi), Respiration Rate from Pleth (RRp) and one Rad-G reusable sensor.	EA	

PN	Description	UM	Product Image
4469	Rad-G Pulse Oximeter (Spot-check with Sensor) Includes SpO₂, Pulse Rate, Perfusion Index (Pi), pleth variability index (PVi), Respiration Rate from Pleth (RRp) and one Rad-G reusable sensor. <i>Available in countries where cleared.</i>	EA	
9196	Rad-5® Pulse Oximeter (US) Comes with a Red DCI-DC3 Sensor and choice of patient cable, a choice of available Colors of Handheld Boots and a choice of operator's manual. Shown in optional handheld boot and with Sensor.	EA	
9214	Rad-5 Pulse Oximeter (International Only) Comes with a choice of sensor, a choice of available colors of Handheld Boots and a choice of operator's manual. Shown in optional handheld boot and with Sensor.	EA	

PN	Description	UM	Product Image
9197	Rad-5v® Pulse Oximeter (US) Comes with a choice of DCI sensor and choice of patient cable, a choice of available colors of Handheld Boots and a choice of operator's manual. Shown in optional handheld boot and with Sensor.	EA	
9215	Rad-5v Pulse Oximeter (International Only) Comes with a choice of sensor, a choice of available colors of Handheld Boots and a choice of operator's manual. Shown in optional handheld boot and with Sensor.	EA	

Fingertip Pulse Oximeters

PN	Description	UM	Product Image
9809	MightySat Rx Fingertip Pulse Oximeter w/ Bluetooth The MightySat Rx Fingertip Pulse Oximeter is intended as a noninvasive device that measures and displays arterial oxygen saturation (SpO₂), Pulse Rate (PR), and Perfusion Index (Pi). Optional Bluetooth LE wireless technology for the wireless transfer of patient data to smart devices. Includes: • 1 MightySat Rx • 1 Drawstring Bag • 1 Lanyard • 2 AAA Batteries <i>Available in countries where cleared. See Masimo.com for a list of compatible devices.</i>	EA	
9909	MightySat Rx Fingertip Pulse Oximeter w/ Bluetooth, PVi, RRp The MightySat Rx Fingertip Pulse Oximeter is intended as a noninvasive device that measures and displays arterial oxygen saturation (SpO₂), Pulse Rate (PR), Perfusion Index (Pi), and optional Pleth Variability Index (PVi), and Respiration Rate from the Pleth (RRp). Optional Bluetooth LE wireless technology for the wireless transfer of patient data to smart devices. Includes: • 1 MightySat Rx • 1 Drawstring Bag • 1 Lanyard • 2 AAA Batteries <i>Available in countries where cleared. See Masimo.com for a list of compatible devices.</i>	EA	
9941	MightySat Rx Fingertip Pulse Oximeter, Black with PVi, RRp The MightySat Rx Fingertip Pulse Oximeter is intended as a noninvasive device that measures and displays arterial oxygen saturation (SpO₂), Pulse Rate (PR), Perfusion Index (Pi), optional Pleth Variability Index (PVi), and Respiration Rate from the Pleth (RRp). Includes: • 1 MightySat Rx • 1 Drawstring Bag • 1 Lanyard • 2 AAA Batteries <i>Available in countries where cleared. See Masimo.com for a list of compatible devices.</i>	EA	

iSpO₂® Rx

PN	Description	UM	Product Image
3588	iSpO₂ Rx 30-Pin Series, Adult See www.masimo.com for compatibility information. <i>Available in countries where cleared. Phone not included.</i>	EA	
3590	iSpO₂ Rx 30-Pin Series, Pediatric See www.masimo.com for compatibility information. <i>Available in countries where cleared. Phone not included.</i>	EA	
9575	iSpO₂ Rx Lightning Series, Adult See www.masimo.com for compatibility information. <i>Available in countries where cleared. Phone not included.</i>	EA	

PN	Description	UM	Product Image
9576	iSpO₂ Rx Lightning Series, Pediatric See www.masimo.com for compatibility information. <i>Available in countries where cleared. Phone not included.</i>	EA	
9578	iSpO₂ Rx Micro USB Series, Adult See www.masimo.com for compatibility information. <i>Available in countries where cleared. Phone not included.</i>	EA	
9579	iSpO₂ Rx Micro USB Series, Pediatric See www.masimo.com for compatibility information. <i>Available in countries where cleared. Phone not included.</i>	EA	


SedLine® Brain Function Monitoring

PN	Description	UM	Product Image
9513	SedLine Kit For use with Root and RD SedLine Sensors. Includes: 1 SedLine MOC-9 Module 1 RD SedLine Patient Cable	EA	
9829	SedLine Module only Includes: 1 SedLine MOC-9 Module	EA	
4248	RD SedLine Sensor For use with SedLine MOC-9 Module and RD SedLine Patient Cable. 25/ box, non-sterile Not made with natural rubber latex.	Box	
4329	RD SedLine Pediatric Sensor For use with SedLine MOC-9 and RD SedLine Patient Cable 25/box, non-sterile Not made with natural rubber latex <i>Available in countries where cleared.</i>	Box	

PN	Description	UM	Product Image
4298	RD SedLine Patient Cable For use with RD SedLine Sensor and SedLine MOC-9 Module.	EA	
4316	RD SedLine Training Kit For use with Root and SedLine MOC-9 Module 5 RD SedLine Sensors 1 RD SedLine Patient Cable	Pack	
4549	RD SedLine Pediatric Training Kit For use with Root and SedLine MOC-9 Module 5 RD SedLine Pediatric Sensors 1 RD SedLine Patient Cable 1 DFU <i>Available in countries where cleared.</i>	EA	
4554	RD SedLine Tester For use with the RD Patient Cable and SedLine module <i>Available in countries where cleared.</i>	EA	
3637	Replacement SedLine Patient Cable For use with SedLine MOC-9 and SedLine Sensors.	EA	
3443	Masimo Cable Tether For use with Masimo sensors and patient cables 20/ pack, non-sterile Not made with natural rubber latex	Pack	

O3® Regional Oximeter Monitoring

PN	Description	UM	Product Image
4273	O3 Adult Training Kit 6 O3 Adult Sensors 1 DFU	Pack	
4315	O3 Pediatric Training Kit 6 O3 Pediatric Sensors 1 DFU	Pack	
4616	O3 Infant and Neonatal Training Kit 6 O3 Infant and Neonatal Sensors 1 DFU	Pack	
9637	O3 Regional Oximeter Module For use with O3 sensors.	EA	

PN	Description	UM	Product Image
3756	O3 Adult Sensor Single Patient Use 20/Box Weight ≥ 40 kg	Box	
4235	O3 Pediatric Sensor Single Patient Use 20/Box Weight: CE Weight < 40 kg FDA Weight ≥ 5 kg and < 40 kg	Box	
4384	O3 Infant and Neonatal Sensor Single Patient Use 20/Box Weight: FDA Weight < 10 kg Available in countries where cleared	Box	
4206	O3 Regional Oximeter Module Demo tools (2 /Packet) For use with an O3 Regional Oximeter Module (not included).	EA	
4575	O3 Regional Oximeter Clamp For use with the O3 Module Regional Oximeter (not included). <i>Available in countries where cleared.</i>	EA	

NomoLine® Capnography

ISA™ Gas Analyzers

PN	Description	UM	Product Image
9921	NomoLine ISA CO₂ For use with Root and NomoLine Sampling Lines. Includes: 1 NomoLine ISA CO₂ MOC-9 Module 1 ISA CO₂ Bracket	EA	
4376	Kit, ISA AX+ For use with Root and NomoLine Sampling Lines Includes: 1 ISA AX+ 1 NomoLine ISA Mounting Bracket	EA	
4423	NomoLine ISA Mounting Kit For use with NomoLine ISA CO ₂ and ISA AX+	EA	
9685	ISA OR+ Kit For use with Root and NomoLine Sampling Lines. Includes: 1 ISA OR+ MOC-9 Module 1 ISA OR+ Bracket	EA	

PN	Description	UM	Product Image
3956	ISA OR+ Mounting Bracket For use with ISA OR+	EA	

Radius PCG™




PN	Description	UM	Product Image
9961	Kit, Radius PCG, mmHg Includes: • 1 Radius PCG (mmHg) • 1 Pouch • 1 Lanyard • 2 AAA Batteries	EA	
9962	Kit, Radius PCG, kPa Includes: • 1 Radius PCG (kPa) • 1 Pouch • 1 Lanyard • 2 AAA Batteries	EA	





EMMA® Capnograph

PN	Description	UM	Product Image
3639	Kit, EMMA Capnograph, mmHg Includes: • 1 EMMA (mmHg) • 1 Pouch • 1 Lanyard • 2 AAA Batteries	EA	
3678	Kit, EMMA Capnograph, kPa Includes: • 1 EMMA (kPa) • 1 Pouch • 1 Lanyard • 2 AAA Batteries	EA	
17448	EMMA Adult / Pediatric Airway Adapter For use with Radius PCG and EMMA 25 / Box	Box	
17449	EMMA Infant Airway Adapter For use with Radius PCG and EMMA 10 / Box	Box	

NomoLine Sampling Lines

PN	Description	UM	Product Image
3814	NomoLine LH Adult / Pediatric Airway Adapter Set, 2m, 25/box For: • Short-term use in low-humidity conditions • Use with intubated patients • Use with Masimo devices 25 / Box	Box	
4620	NomoLine LH Adult/Pediatric Airway Adapter Set, 4m, 25/box For: • Short-term use in low-humidity conditions • Use with intubated patients • Use with Masimo devices 25/Box	Box	
3827	NomoLine HH Adult/Pediatric Airway Adapter Set, 2m, 25/box For: • Long-term use in high-humidity conditions • Use with intubated patients • Use with Masimo devices 25/Box	Box	
3828	NomoLine HH Adult/Pediatric Airway Adapter Set, 3m, 25/box For: • Long-term use in high-humidity conditions • Use with intubated patients • Use with Masimo devices 25/Box	Box	
4367	NomoLine HH Infant/Neonatal Airway Adapter Set, 2m, 25/box For: • Long-term use in high-humidity conditions • Use with intubated patients • Use with Masimo devices 25/Box	Box	

PN	Description	UM	Product Image
3820	NomoLine LH Adult Nasal CO2 Cannula with O2, 2m, 25/box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Masimo devices 25/Box	Box	
4624	NomoLine LH Adult Nasal CO2 Cannula with O2, 4m, 25/box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Masimo devices 25/Box	Box	
3821	NomoLine LH Pediatric Nasal CO2 Cannula with O2, 2m, 25/box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Masimo devices 25/Box	Box	
3824	NomoLine LH Adult Nasal/Oral CO2 Cannula with O2, 2m, 25/box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Masimo devices 25/Box	Box	
4628	NomoLine LH Adult Nasal/Oral CO2 Cannula with O2, 4m, 25/box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Masimo devices 25/Box	Box	

PN	Description	UM	Product Image
3825	NomoLine LH Pediatric Nasal/Oral CO2 Cannula with O2, 2m, 25/box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Masimo devices 25/Box	Box	
4629	NomoLine LH Pediatric Nasal/Oral CO2 Cannula with O2, 4m, 25/box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Masimo devices 25/Box	Box	
3833	NomoLine HH Adult Nasal CO2 Cannula with O2, 2m, 25/box For: • Long-term use in high-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Masimo devices 25/Box	Box	
3834	NomoLine HH Pediatric Nasal CO2 Cannula with O2, 2m, 25/box For: • Long-term use in high-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Masimo devices 25/Box	Box	
3837	NomoLine HH Adult Nasal/Oral CO2 Cannula with O2, 2m, 25/box For: • Long-term use in high-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Masimo devices 25/Box	Box	

PN	Description	UM	Product Image
3838	NomoLine HH Pediatric Nasal/Oral CO2 Cannula with O2, 2m, 25/box For: • Long-term use in high-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Masimo devices 25/Box	Box	
3817	NomoLine LH Adult Nasal CO2 Cannula, 2m, 25/box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with Masimo devices 25/Box	Box	
3818	NomoLine LH Adult Nasal CO2 Cannula, 4m, 25/box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with Masimo devices 25/Box	Box	
3819	NomoLine LH Infant Nasal CO2 Cannula, 2m, 25/box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with Masimo devices 25/Box	Box	
3822	NomoLine LH Infant Nasal CO2 Cannula, 2m, 25/box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with Masimo devices 25/Box	Box	

PN	Description	UM	Product Image
4626	NomoLine LH Adult Nasal/Oral CO2 Cannula, 4m, 25/box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with Masimo devices 25/Box	Box	
3823	NomoLine LH Pediatric Nasal / Oral CO2 Cannula For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with Masimo devices 25/Box	Box	
3826	NomoLine LH Adult Single Nasal Prong CO2 Cannula, 2m, 25/box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with Masimo devices 25/Box	Box	
3830	NomoLine HH Adult Nasal CO2 Cannula, 2m, 25/box For: • Long-term use in high-humidity conditions • Use with non-intubated patients • Use with Masimo devices 25/Box	Box	
3832	NomoLine HH Adult Nasal/Oral CO2 Cannula, 2m, 25/box For: • Long-term use in high-humidity conditions • Use with non-intubated patients • Use with Masimo devices 25/Box	Box	

PN	Description	UM	Product Image
3839	NomoLine HH Adult Single Nasal Prong CO2 Cannula, 2m, 25/box For: • Long-term use in high-humidity conditions • Use with non-intubated patients • Use with Masimo devices 25/Box	Box	

NomoLine-O Sampling Lines

PN	Description	UM	Product Image
4454	NomoLine-O LH Adult/Pediatric Airway Adapter Set, 2m, 25/Box For: • Short-term use in low-humidity conditions • Use with intubated patients • Use with Microstream devices 25/Box	Box	
4630	NomoLine-O LH Adult/Pediatric Airway Adapter Set, 4m, 25/Box For: • Short-term use in low-humidity conditions • Use with intubated patients • Use with Microstream devices 25/Box	Box	
4449	NomoLine-O HH Adult/Pediatric Airway Adapter Set, 2m, 25/Box For: • Long-term use in high-humidity conditions • Use with intubated patients • Use with Microstream devices 25/Box	box	

PN	Description	UM	Product Image
4450	NomoLine-O HH Infant/Neonatal Airway Adapter Set, 2m, 25/Box For: • Long-term use in high-humidity conditions • Use with intubated patients • Use with Microstream devices 25/Box	Box	
4456	NomoLine-O LH Adult Nasal CO2 Cannula with O2, 2m, 25/Box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Microstream devices 25/Box	Box	
4634	NomoLine-O LH Adult Nasal CO2 Cannula with O2, 4m, 25/Box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Microstream devices 25/Box	Box	
4457	NomoLine-O LH Pediatric Nasal CO2 Cannula with O2, 2m, 25/Box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Microstream devices 25/Box	Box	
4459	NomoLine-O LH Adult Nasal/Oral CO2 Cannula with O2, 2m, 25/Box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Microstream devices 25/Box	Box	

PN	Description	UM	Product Image
4638	NomoLine-O LH Adult Nasal/Oral CO2 Cannula with O2, 4m, 25/Box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Microstream devices 25/Box	Box	
4460	NomoLine-O LH Pediatric Nasal/Oral CO2 Cannula with O2, 2m, 25/Box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Microstream devices 25/Box	Box	
4639	NomoLine-O LH Pediatric Nasal/Oral CO2 Cannula with O2, 4m, 25/Box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Microstream devices 25/Box	Box	
4451	NomoLine-O HH Pediatric Nasal CO2 Cannula with O2, 2m, 25/Box For: • Long-term use in high-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Microstream devices 25/Box	Box	
4645	NomoLine-O HH Pediatric Nasal CO2 Cannula with O2, 2m, 25/Box For: • Long-term use in high-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Microstream devices 25/Box	Box	

PN	Description	UM	Product Image
4453	NomoLine-O HH Adult Nasal/Oral CO2 Cannula with O2, 2m, 25/Box For: • Long-term use in high-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Microstream devices 25/Box	Box	
4647	NomoLine-O HH Pediatric Nasal/Oral CO2 Cannula with O2, 2m, 25/Box For: • Long-term use in high-humidity conditions • Use with non-intubated patients • Use with supplemental oxygen • Use with Microstream devices 25/Box	Box	
4455	NomoLine-O LH Adult Nasal CO2 Cannula, 2m, 25/box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with Microstream devices 25/Box	Box	
4641	NomoLine-O LH Pediatric Nasal CO2 Cannula, 2m, 25/box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with Microstream devices 25/Box	Box	
4662	NomoLine-O LH Infant Nasal CO2 Cannula, 2m, 25/box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with Microstream devices 25/Box	Box	
4458	NomoLine-O LH Infant Nasal CO2 Cannula, 2m, 25/box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with Microstream devices 25/Box	Box	

PN	Description	UM	Product Image
4636	NomoLine-O LH Adult Nasal/Oral CO2 Cannula, 4m, 25/Box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with Microstream devices 25/Box	Box	
4642	NomoLine-O LH Pediatric Nasal/Oral CO2 Cannula, 2m, 25/box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with Microstream devices 25/Box	Box	
4663	NomoLine-O LH Adult Single Nasal Prong CO2 Cannula, 2m, 25/box For: • Short-term use in low-humidity conditions • Use with non-intubated patients • Use with Microstream devices 25/Box	Box	
4643	NomoLine-O HH Adult Nasal CO2 Cannula, 2m, 25/box For: • Long-term use in high-humidity conditions • Use with non-intubated patients • Use with Microstream devices 25/Box	Box	
4664	NomoLine-O HH Infant Nasal CO2 Cannula, 2m, 25/box For: • Long-term use in high-humidity conditions • Use with non-intubated patients • Use with Microstream devices 25/Box	Box	
4665	NomoLine-O HH Adult Single Nasal Prong CO2 Cannula, 2m, 25/box For: • Long-term use in high-humidity conditions • Use with non-intubated patients • Use with Microstream devices 25/Box	Box	

NomoLine with Luer Sampling Lines

PN	Description	UM	Product Image
3801	NomoLine Adult/Pediatric Airway Adapter Set with Luer, 2m, 25/box For: • Use with intubated patients • Use with devices with a water trap 25/Box	Box	
3807	NomoLine Adult Nasal CO2 Cannula with O2 and Luer, 2m, 25/box For: • Use with non-intubated patients • Use with supplemental oxygen • Use with devices with a water trap 25/Box	box	
3808	NomoLine Pediatric Nasal CO2 Cannula with O2 and Luer, 2m, 25/box For: • Use with non-intubated patients • Use with supplemental oxygen • Use with devices with a water trap 25/Box	Box	
3811	NomoLine Adult Nasal/Oral CO2 Cannula with O2 and Luer, 2m, 25/box For: • Use with non-intubated patients • Use with supplemental oxygen • Use with devices with a water trap 25/Box	Box	
3812	NomoLine Pediatric Nasal/Oral CO2 Cannula with O2 and Luer, 2m, 25/box For: • Use with non-intubated patients • Use with supplemental oxygen • Use with devices with a water trap 25/Box	Box	
3809	NomoLine Adult Nasal/Oral CO2 Cannula with Luer, 2m, 25/box For: • Use with non-intubated patients • Use with devices with a water trap 25/Box	Box	
3813	NomoLine Adult Single Nasal Prong CO2 Cannula with Luer, 2m, 25/box For: • Use with non-intubated patients • Use with devices with a water trap 25/Box	Box	

Nomoline Training Kits

PN	Description	UM	Product Image
4381	NomoLine Training Kit Includes: 2 - 3827 NomoLine HH Adult/Pediatric Airway Adapter Set 2 - 3837 NomoLine HH Adult Nasal/Oral CO2 Cannula with O2 2 - 3820 NomoLine LH Adult Nasal CO2 Cannula with O2 2 - 3814 NomoLine LH Adult/Pediatric Airway Adapter Set - Directions for Use	EA	
4669	NomoLine-O HH Training Kit Includes: 2 - 4449 NomoLine-O HH Adult/Pediatric Airway Adapter Set 2 - 4450 NomoLine-O HH Infant/Neonatal Airway Adapter Set 2 - 4451 NomoLine-O HH Adult Nasal CO2 Cannula with O2 2 - 4452 NomoLine-O HH Adult Nasal/Oral CO2 Cannula 2 - 4453 NomoLine-O HH Adult Nasal/Oral CO2 Cannula with O2 - Directions for Use	EA	

Noninvasive Blood Pressure (NIBP)

Disposable Blood Pressure Cuffs

PN	Description	UM	Product Image
25242	Disposable Neonate Cuff Size 1 Single Patient Use BP cuff with range of 3-6 cm Male Bayonet connection, for use with BP Hose with Female Bayonet connection 20 / box	Box	

PN	Description	UM	Product Image
25243	Disposable Neonate Cuff Size 2 Single Patient Use BP cuff with range of 4-8 cm Male Bayonet connection, for use with BP Hose with Female Bayonet connection 20 / box	Box	 A white disposable neonate blood pressure cuff with a blue and white pattern. It features a male bayonet connection on the left and a female bayonet connection on the right. The cuff is labeled with 'SunTech', '2', '4-8 cm', and 'Patient'.
25244	Disposable Neonate Cuff Size 3 Single Patient Use BP cuff with range of 6-11 cm Male Bayonet connection, for use with BP Hose with Female Bayonet connection 20 / box	Box	 A white disposable neonate blood pressure cuff with a green and white pattern. It features a male bayonet connection on the left and a female bayonet connection on the right. The cuff is labeled with 'SunTech', '3', '6-11 cm', and 'Patient'.
25245	Disposable Neonate Cuff Size 4 Single Patient Use BP cuff with range of 7-13 cm Male Bayonet connection, for use with BP Hose with Female Bayonet connection 20 / box	Box	 A white disposable neonate blood pressure cuff with a blue and white pattern. It features a male bayonet connection on the left and a female bayonet connection on the right. The cuff is labeled with 'SunTech', '4', '7-13 cm', and 'Patient'.
25246	Disposable Neonate Cuff Size 5 Single Patient Use BP cuff with range of 8-15 cm Male Bayonet connection, for use with BP Hose with Female Bayonet connection 20 / box	Box	 A white disposable neonate blood pressure cuff with a red and white pattern. It features a male bayonet connection on the left and a female bayonet connection on the right. The cuff is labeled with 'SunTech', '5', '8-15 cm', and 'Patient'.

PN	Description	UM	Product Image
25296	Disposable Infant Cuff Single Patient Use BP cuff with range of 8-13 cm Female Quick Connect connection, for use with BP Hose with Male Quick Connect connection 20 / box	Box	 A white disposable blood pressure cuff for infants. It features a cartoon elephant illustration and the text 'SunTech', 'INDEX', 'Infant', and '8-13 cm'. A white tube with a female quick connect connector is attached to the side.
25297	Disposable Child Cuff Single Patient Use BP cuff with range of 12-19 cm Female Quick Connect connection, for use with BP Hose with Male Quick Connect connection 20 / box	Box	 A white disposable blood pressure cuff for children. It features a cartoon bear illustration and the text 'SunTech', 'INDEX', 'Child', and '12-19 cm'. A white tube with a female quick connect connector is attached to the side.
25298	Disposable Small Adult Cuff Single Patient Use BP cuff with range of 17-25 cm Female Quick Connect connection, for use with BP Hose with Male Quick Connect connection 20 / box	Box	 A white disposable blood pressure cuff for small adults. It features an illustration of three people and the text 'SunTech', 'INDEX', 'Small Adult', and '17-25 cm'. A white tube with a female quick connect connector is attached to the side.
25299	Disposable Adult Cuff Single Patient Use BP cuff with range of 23-33 cm Female Quick Connect connection, for use with BP Hose with Male Quick Connect connection 20 / box	Box	 A white disposable blood pressure cuff for adults. It features an illustration of three people and the text 'SunTech', 'INDEX', 'Adult', and '23-33 cm'. A white tube with a female quick connect connector is attached to the side.

PN	Description	UM	Product Image
25300	Disposable Large Adult Cuff Single Patient Use BP cuff with range of 31-40 cm Female Quick Connect connection, for use with BP Hose with Male Quick Connect connection 20 / box	Box	 A white disposable blood pressure cuff for large adults, with a range of 31-40 cm. It features a female quick connect port and a clear inflation tube. The packaging is white with red and black text and graphics.
25301	Disposable Thigh Cuff Single Patient Use BP cuff with range of 38-50 cm Female Quick Connect connection, for use with BP Hose with Male Quick Connect connection 20 / box	Box	 A white disposable blood pressure cuff for thighs, with a range of 38-50 cm. It features a female quick connect port and a clear inflation tube. The packaging is white with black and red text and graphics.

Reusable Blood Pressure Cuffs

PN	Description	UM	Product Image
25303	Reusable Infant Cuff Reusable BP cuff with range of 8-13 cm. Female Quick Connect connection, for use with BP Hose with Male Quick Connect connection 5 / box	Box	 An orange reusable blood pressure cuff for infants, with a range of 8-13 cm. It features a female quick connect port and a black inflation tube. The packaging is orange with white text and graphics.
25260	Reusable Child Cuff, Masimo Reusable BP cuff with range of 12-19 cm. Female Quick Connect connection, for use with BP Hose with Male Quick Connect connection 5 / box	Box	 A green reusable blood pressure cuff for children, with a range of 12-19 cm. It features a female quick connect port and a black inflation tube. The packaging is green with white text and graphics.

PN	Description	UM	Product Image
25261	Reusable Small Adult Cuff, Masimo Reusable BP cuff with range of 17-25 cm. Female Quick Connect connection, for use with BP Hose with Male Quick Connect connection 5 / box	Box	
25262	Reusable Adult Cuff, Masimo Reusable BP cuff with range of 23-33 cm. Female Quick Connect connection, for use with BP Hose with Male Quick Connect connection 5 / box	Box	
25263	Reusable Large Adult Cuff, Masimo Reusable BP cuff with range of 31-40 cm. Female Quick Connect connection, for use with BP Hose with Male Quick Connect connection 5 / box	Box	
25304	Reusable Thigh Cuff Reusable BP cuff with range of 38-50 cm. Female Quick Connect connection, for use with BP Hose with Male Quick Connect connection 5 / box	Box	

Blood Pressure Hoses and Adapters

PN	Description	UM	Product Image
25302	NIBP Patient Hose, 3 Meters, Female Bayonet Metal Female Bayonet connection For use with BP cuffs with Male Bayonet connection.	EA	
25247	NIBP Patient Hose, 3 Meters, Male Quick Connect Plastic Male Quick Connect connection For use with BP cuffs with Female Quick Connect connection.	EA	
26426	NIBP Patient Hose Adapter, 10 cm, with Male Bayonet and Female Slip-Luer Male Slip-Luer BP cuffs to Female Bayonet NIBP Patient Hose	EA	

Temperature

PN	Description	UM	Product Image
4301	TIR-1 Thermometer Packaging includes: • TIR-1 Unit • 2 AA Batteries • TIR-1 Operator's Manual	EA	
100395	Coil tether 12' tether with slip rings on both ends to attach to thermometer and holster	EA	
100059	Secure tether coil 12' steel tether with secure mount fittings and removal tool	EA	
100060	TIR-1 replacement battery door spare battery door for TIR-1 Thermometer	EA	
100061	TIR-1 replacement sensor cap spare sensor cap for TIR-1 Thermometer	EA	

PN	Description	UM	Product Image
25251	Oral Temperature Probe and Well Kit, Welch Allyn Includes: - Oral/axillary temperature probe - Oral/axillary temperature probe well	EA	
25252	Rectal Temperature Probe and Well Kit, Welch Allyn Includes: - Rectal temperature probe - Rectal temperature probe well	EA	
26289	Temperature Probe Covers, Welch Allyn 7500 / case Case contains 30 dispensers, each with 10 packs of 25 probe covers	EA	

Masimo Patient SafetyNet™ System

PN	Description	UM	Product Image
9095	Patient SafetyNet System	System	
25405	Patient SafetyNet View Station with Software For use with Patient SafetyNet	EA	
25134	Kit Patient SafetyNet Appliance 1UM For use with Patient SafetyNet	EA	
25151	Kit Patient SafetyNet Appliance 2UM For use with Patient SafetyNet	EA	
25133	Kit Patient SafetyNet Appliance 1UM and View For use with Patient SafetyNet	EA	
25150	Kit, Patient SafetyNet Appliance 2UM and View For use with Patient SafetyNet	EA	

PN	Description	UM	Product Image
25353	Halo Appliance For use with Patient SafetyNet <i>Available in countries where cleared.</i>	EA	
9712	Iris Gateway® Appliance	EA	
9920	AI Aql Mini-PC for Iris Gateway	EA	
9937	Iris Device Management System	EA	
2445	Patient SafetyNet Bed License For use with Patient SafetyNet	EA	No Image
2125	Halo Bed License For use with Patient SafetyNet <i>Available in countries where cleared.</i>	EA	No Image
2447	Notification License For use with Patient SafetyNet <i>Note: For non-proprietary notification interface</i>	EA	No Image
2146	Patient SafetyNet Compatible Radical Docking Station, RDS-1 For use with Patient SafetyNet Comes with power cord and communication capabilities. <i>SatShare is not supported on RadNet Compatible Radical Docking Stations.</i>	EA	
2147	Patient SafetyNet Compatible Radical Docking Station, RDS-3 For use with Patient SafetyNet Comes with power cord and communication capabilities. <i>SatShare is not supported on RadNet Compatible Radical Docking Stations.</i>	EA	

PN	Description	UM	Product Image
3963	HL7, ADT, Interface For use with Patient SafetyNet	EA	No Image
3964	HL7, Results Out, Interface For use with Patient SafetyNet	EA	No Image
15007	Colubris Workgroup Bridge For use with Patient SafetyNet One required per pulse oximeter; alternative for 3Com Workgroup Bridge	EA	
15275	NET232-DTE (Male) RS232 Serial to Ethernet Intelligent Cable Adapter For use with Patient SafetyNet	EA	
15274	NET232-DCE (Female) RS232 Serial to Ethernet Intelligent Cable Adapter For use with Patient SafetyNet	EA	No image
16190	NET232-POE-DTE (Male) RS232 Serial to Ethernet Intelligent Cable Adapter For use with Patient SafetyNet	EA	No image
16191	NET232-POE-DCE (Female) RS232 Serial to Ethernet Intelligent Cable Adapter For use with Patient SafetyNet	EA	No image
15719	NET232-U-DTE (Male) RS232 Serial to Ethernet Intelligent Cable Adapter For use with Patient SafetyNet	EA	No image
15720	NET232-U-DCE (Female) RS232 Serial to Ethernet Intelligent Cable Adapter For use with Patient SafetyNet	EA	No image
23416	Kit HP ProCurve Serial (Male-Male) For use with Patient SafetyNet	EA	No image
23415	Kit HP ProCurve Serial (Male-Female)	EA	No image
17100	Cables to GO Patch Cable 3 ft. Blue For use with Patient SafetyNet	EA	

PN	Description	UM	Product Image
15768	Cables to GO Patch Cable 7ft. Blue For use with Patient SafetyNet	EA	
15769	Cables to GO Patch Cable 14 ft. Blue For use with Patient SafetyNet	EA	
15770	Cables to GO Patch Cable 25 ft. Blue For use with Patient SafetyNet	EA	
17644	HP V1910-24G-POE Port Switch For use with Patient SafetyNet	EA	
14530	Null Modem Cable, DB-9 Male to DB-9 Male, 1" Length For use with Patient SafetyNet	EA	No Image
14857	XRackPro2 Rackmount 4U Cabinet, Noise Reduction Enclosure For use with Patient SafetyNet	EA	
14424	Paging Transmitter UHF For use with Patient SafetyNet Frequency range (450 to 470 MHz). One required per floor in hospital.	EA	
16365	Paging Transmitter VHF For use with Patient SafetyNet Frequency range (135 to 175 MHz). One required per floor in hospital.	EA	

PN	Description	UM	Product Image
16262	Pager 440 - 444 MHz, Synthesized, POCSAG For use with Patient SafetyNet. Requires Paging Transmitter. Pager tunable in the 440 to 444 MHz range.	EA	
16263	Pager 444 - 448 MHz, Synthesized, POCSAG For use with Patient SafetyNet. Requires Paging Transmitter. Pager tunable in the 444 to 448 MHz range.	EA	
16158	Pager 448 - 452 MHz, Synthesized, POCSAG For use with Patient SafetyNet. Requires Paging Transmitter. Pager tunable in the 448 to 452 MHz range.	EA	
16264	Pager 452 - 456 MHz, Synthesized, POCSAG For use with Patient SafetyNet. Requires Paging Transmitter. Pager tunable in the 452 to 456 MHz range.	EA	
14253	Pager 456 - 460 MHz, Synthesized, POCSAG For use with Patient SafetyNet. Requires Paging Transmitter. Pager tunable in the 456 to 460 MHz range.	EA	
14254	Pager 460 - 464 MHz, Synthesized, POCSAG For use with Patient SafetyNet. Requires Paging Transmitter. Pager tunable in the 460 to 464 MHz range.	EA	
14255	Pager 464 - 468 MHz, Synthesized, POCSAG For use with Patient SafetyNet. Requires Paging Transmitter. Pager tunable in the 464 to 468 MHz range.	EA	

PN	Description	UM	Product Image
16527	Pager 135 – 142.999 MHz, Synthesized, POCSAG VHF Band A For use with Patient SafetyNet. Requires Paging Transmitter. Pager tunable in the 135 to 142.999 MHz range.	EA	
16528	Pager 143 – 150.999 MHz, Synthesized, POCSAG VHF Band B For use with Patient SafetyNet. Requires Paging Transmitter. Pager tunable in the 143 to 150.999 MHz range.	EA	
16366	Pager 151 – 158.999 MHz, Synthesized, POCSAG VHF Band C For use with Patient SafetyNet. Requires Paging Transmitter. Pager tunable in the 151 to 158.999 MHz range.	EA	
16529	Pager 159 – 166.999 MHz, Synthesized, POCSAG VHF Band D For use with Patient SafetyNet. Requires Paging Transmitter. Pager tunable in the 159 to 166.999 MHz range.	EA	
16530	Pager 167 – 174.999 MHz, Synthesized, POCSAG VHF Band E For use with Patient SafetyNet. Requires Paging Transmitter. Pager tunable in the 167 to 174.999 MHz range	EA	
2456	Patient SafetyNet Installation Services For use with Patient SafetyNet.	EA	No image
2457	Masimo Wireless Site Survey For use with Patient SafetyNet.	EA	No image

Replica™

PN	Description	UM	Product Image
9863	Replica System	1	
26525	Replica application installed on Zebra TC51-HC phone, US	1	
26526	Replica application installed on Zebra TC51-HC phone, OUS	1	
4506	Replica application to be installed on customer's existing phone	1	No Image
19989	Zebra TC51-HC Power Supply Attaches to Zebra Charge Cable (19941) For OUS installations, requires Universal Power Supply (19755)	1	No Image
19990	Zebra TC51-HC Power Cord Attaches to Zebra Multi-Slot ShareCradles For OUS installations, requires Universal Power Supply (19755)	1	No Image
19941	Zebra TC-51 Charge Cable Charges one TC-51 phone Requires PN 19989 Power Supply	1	


PN	Description	UM	Product Image
19942	Zebra TC-51 HC Replacement Battery	1	
19943	Zebra Multi-Slot ShareCradle Requires Zebra TC51-HC Power Cord Charges 4 Zebra TC51-HC phones and 4 replacement batteries	1	
100188	Zebra Carrying Clip	1	
19755	Universal Power Supply	1	

Masimo SafetyNet™

PN	Description	UM	Product Image
4736	Kit, Radius PPG™ for Masimo SafetyNet 8-day supply Includes: - 1 Radius PPG reusable chip - 2 Radius PPG adhesive sensors - 14 replacement tapes - Access to Masimo SafetyNet	EA	
4778	Kit, Radius PPG and Radius T°™ for Masimo SafetyNet 8-day supply Includes: - 1 Radius PPG reusable chip - 1 Radius T° sensor - 2 Radius PPG adhesive sensors - 14 replacement tapes - Access to Masimo SafetyNet	EA	
4779	Radius T° for Masimo SafetyNet 8-day supply Includes: - 1 Radius T° sensor - Access to Masimo SafetyNet	EA	

Kite® and UniView™ Supplemental Display

PN	Description	UM	Product Image
9766	Kite Mini-PC Includes Masimo Sketch™ USB Installer (PN 9899)	EA	
9856	UniView Mini-PC	EA	
9009	Kite Tablet Samsung Galaxy Tab A, 8 inches Includes Masimo Sketch USB Installer (PN 9899)	EA	
19446	32" Samsung TV (Optional) TV to be connected with the Kite or UniView Mini-PC to display	EA	
19715	Medical Grade Keyboard (Optional) Keyboard to be connected to Kite or UniView Mini-PC to navigate software	EA	

PN	Description	UM	Product Image
17100	Cables to GO Patch Cable 3 ft. Blue (Optional) For connecting the Kite or UniView Mini-PC or Masimo device to the network	EA	
15768	Cables to GO Patch Cable 7 ft. Blue (Optional) For connecting the Kite or UniView Mini-PC or Masimo device to the network	EA	
15769	Cables to GO Patch Cable 14 ft. Blue (Optional) For connecting the Kite or UniView Mini-PC or Masimo device to the network	EA	
15770	Cables to GO Patch Cable 25 ft. Blue (Optional) For connecting the Kite or UniView Mini-PC or Masimo device to the network	EA	

Philips® Compatible Devices

PN	Description	UM	Product Image
3924	Masimo rainbow SET® IntelliVue® Module For use with IntelliVue Monitor. <i>Patient cable or Radius PPG Wireless Receiver must be ordered separately.</i> <i>The Masimo rainbow SET IntelliVue Module Pulse CO-Oximeter is compatible with the following Philips IntelliVue Patient Monitoring Systems with software revision L.0 or later:</i> - Monitors with internal slots: MP40, MP50, MX500, and MX550 - Monitors via FMS-4 or FMS-8 module rack: MP60, MP70, MP80, MP90, MX600, MX700, and MX800	EA	
3915	Masimo SET® IntelliVue Module For use with IntelliVue Monitor. <i>Patient Cable must be ordered separately.</i>	EA	
18710	USB-to-RS232 Converter Cable For connecting Root with IntelliBridge® (EC5 portion) and VueLink® modules.	EA	

Philips®, IntelliVue® and VueLink® are registered trademarks of Philips Corporation.

GE® Healthcare Compatible Devices

PN	Description	UM	Product Image
9477	uSpO₂® Pulse Oximeter Cable Kit For use with GE ApexPro FH Telemetry Transmitters. Includes: • 1 LNCS Amtx-3 • 1 LNCS Pmtx-3 • 1 LNCS Inf-3 • 1 LNCS Neo-3 sensor <i>For US Markets Only</i> May only be sold to End-Customers with pre-existing installed ApexPro Telemetry Systems. For more information, see GE Upgrade Profiles under OEM on RadNet.	EA	
9476	uSpO₂ Pulse Oximeter Cable Kit For use with GE ApexPro, ApexPro CH, and CARESCAPE T4 & T14 Telemetry Transmitters. Includes: • 1 LNCS Amtx-3 • 1 LNCS Pmtx-3 • 1 LNCS Inf-3 • 1 LNCS Neo-3 sensor May only be sold to End-Customers with pre-existing installed ApexPro Telemetry Systems. For more information, see GE Upgrade Profiles under OEM on RadNet.	EA	



Therapeutic Devices

Bridge™



PN	Description	UM	Product Image
4790	Kit, Bridge Includes • Bridge Device • Accessories for device application <i>Available in countries where cleared</i>	EA	



Parameter Options and Upgrade Tools

Masimo rainbow SET Parameter Options

PN	Description	UM	Product Image
9081	Parameter Upgrade Tool, MD20 Used to load optional rainbow® parameters and features onto compatible monitors. • Total Hemoglobin (SpHb) • Pleth Variability Index (PVi) • rainbow® Pleth Variability Index (RPVi)* • Oxygen Reserve Index (ORi)* • Carboxyhemoglobin (SpCO) • Methemoglobin (SpMet) • Oxygen Content (SpOC) • Acoustic Respiration (RRa) • Respiration Rate from the Pleth (RRp) • 3D Desat Index Alarm™ • 3D Pi Delta Alarm Each optional parameter and feature sold separately. Includes: • 1 Field Upgrader • 1 to 5 operator's manuals • Parameter upgrade indicator sticker(s) • Postage-paid envelope to return Field Upgrader <i>*Available in countries where cleared.</i>	EA	
9792	Parameter Upgrade Tool, M20 Used to load optional rainbow® parameters and features onto compatible monitors. Available upgrade options include: • Total Hemoglobin (SpHb) • Pleth Variability Index (PVi) • rainbow® Pleth Variability Index (RPVi)* • Oxygen Reserve Index (ORi)* • Carboxyhemoglobin (SpCO) • Methemoglobin (SpMet) • Oxygen Content (SpOC) • Acoustic Respiration (RRa) • Respiration Rate from Pleth (RRp) Each optional parameter and feature sold separately. Includes: • 1 M20 Field Upgrade Tool • 1 to 5 Operator's Manuals • Parameter upgrade indicator sticker(s) • Postage-paid envelope to return Field Upgrade Tool <i>*Available in countries where cleared.</i>	EA	

PN	Description	UM	Product Image
3688	Root (Non-EWS), Software Upgrade Tool, US Includes: Upgrade tool Upgrade tool directions for use Postage-paid envelope to return upgrade tool	EA	
3689	Root (Non-EWS), Software Upgrade Tool, OUS Includes: Upgrade tool Upgrade tool directions for use Postage-paid envelope to return upgrade tool <i>Available in countries where cleared.</i>	EA	
4382	Root with EWS, Software Upgrade Tool, US Includes: Upgrade tool Upgrade tool directions for use Postage-paid envelope to return upgrade tool	EA	
4383	Root with EWS, Software Upgrade Tool, OUS Includes: Upgrade tool Upgrade tool directions for use Postage-paid envelope to return upgrade tool <i>Available in countries where cleared.</i>	EA	
4397	Rad-97, Software Upgrade Tool, US Includes: Upgrade tool Upgrade tool directions for use Postage-paid envelope to return upgrade tool	EA	
4398	Rad-97, Software Upgrade Tool, OUS Includes: Upgrade tool Upgrade tool directions for use Postage-paid envelope to return upgrade tool <i>Available in countries where cleared.</i>	EA	
3525	Radical-7, Software Upgrade Tool, US Includes: Upgrade Tool Upgrade Tool Directions For Use Postage-paid envelope to return upgrade tool	EA	
3526	Radical-7, Software Upgrade Tool, OUS Include: Upgrade Tool Upgrade Tool Directions For Use Postage-paid envelope to return upgrade tool <i>Available in countries where cleared</i>	EA	

PN	Description	UM	Product Image
4680	Rad-67 Software Upgrade Tool, US For use with Data Transfer Download Cable Rad-67 PN-4361 Includes: Upgrade tool Upgrade tool directions for use Postage-paid envelope to return upgrade tool	EA	
4679	Rad-67 Software Upgrade Tool, (OUS) For use with Data Transfer Download Cable Rad-67 PN-4361 Includes: Upgrade tool Upgrade tool directions for use Postage-paid envelope to return upgrade tool <i>Available in countries where cleared.</i>	EA	
3645	Eve (Newborn CCHD Screening Mode) The Eve Newborn Screening Application on the Radical-7 Pulse CO-Oximeter automates the screening steps with animated instructions, including sensor application, measurement selection, and screening result determination. Includes: Upgrade card Upgrade card directions for use Radical-7 Operator's Manual supplement, CCHD Postage-paid envelope to return upgrade card <i>Available in countries where cleared.</i>	EA	
9848	Eve (Newborn CCHD Screening Mode) The Eve Newborn Screening Application on the Rad-97 Pulse CO-Oximeter automates the screening steps with animated instructions, including sensor application, measurement selection, and screening result determination. Includes: Upgrade tool Upgrade tool directions for use CCHD addendum to Rad-97 Operator's Manual Postage-paid envelope to return upgrade tool <i>Available in countries where cleared.</i>	EA	
3710	Service Tool, MX-5, MD20, US Upgrades up to 100 instruments <i>Order with software version MX 7.E.8.1 or higher to upgrade instruments for use with Radius PPG</i>	EA	

PN	Description	UM	Product Image
4185	Service Tool, MX-5, MD20, OUS Upgrades up to 100 instruments. Order with software version MX 7.E.8.1 or higher to upgrade instruments for use with Radius PPG <i>Available in countries where cleared.</i>	EA	
4552	Service Tool, MX-5, M20, US Upgrades up to 100 instruments. Order with software version MX 7.E.8.1 or higher to upgrade instruments for use with Radius PPG	EA	
4553	Service Tool, MX-5, M20, OUS Upgrades up to 100 instruments. Order with software version MX 7.E.8.1 or higher to upgrade instruments for use with Radius PPG <i>Available in countries where cleared.</i>	EA	
The following parameters are applicable to both PN 9081 and PN 9792:			
2630	Total Hemoglobin (SpHb) Can be ordered on a compatible device or on an upgrade tool to upgrade a compatible monitor in the field	EA	No Image
2313	Pleth Variability Index (PVi) Can be ordered on a compatible device or on an upgrade tool to upgrade a compatible monitor in the field.	EA	No Image

PN	Description	UM	Product Image
4351	rainbow® Pleth Variability Index (RPVi) Can be ordered on a compatible device or on an upgrade tool to upgrade a compatible monitor in the field. Check with customer service on availability. <i>Available in countries where cleared</i>	EA	No Image
3950	Oxygen Reserve Index (ORi) Can be ordered on a compatible device or on an upgrade tool to upgrade a compatible monitor in the field. <i>Available in countries where cleared.</i>	EA	No Image
2296	Carboxyhemoglobin (SpCO) Can be ordered on a compatible device or on an upgrade tool to upgrade a compatible monitor in the field.	EA	No Image
2297	Methemoglobin (SpMet) Can be ordered on a compatible device or on an upgrade tool to upgrade a compatible monitor in the field.	EA	No Image
2940	Acoustic Respiration (RRa) Can be ordered on compatible device or on an upgrade tool to upgrade a compatible monitor in the field.	EA	No Image
3518	Respiration Rate from Pleth (RRp) Can be ordered on a compatible device or on an upgrade tool to upgrade a compatible monitor in the field.	EA	No Image
2636	Pi Delta 3D Alarm®, Fixed Term License Can be ordered on a compatible device or on an upgrade tool to upgrade a compatible monitor in the field.	EA	No Image
2637	Desat Index 3D Alarm, Fixed Term License Can be ordered on a compatible device or on an upgrade tool to upgrade a compatible monitor in the field.	EA	No Image




TNI softFlow


TNI softFlow 50

PN	Description	UM	Product Image
9007	TNI softFlow 50 Hospital System Includes: Humidification chamber autofill Clear-Guard 3 Bacterial/Viral Filter Air bridge for hospital humidifier Dust filters (pack of 5) Oxygen tube Protective caps for oxygen inlet (pack of 5) <i>Available in countries where cleared.</i>	EA	 A white, rectangular medical device with a circular top section. A clear plastic tube is connected to the front. The device has a digital display on the top section.
9006	TNI softFlow 50 Home-care System Includes: Dust filters (pack of 5) Oxygen tube Protective caps for oxygen inlet (pack of 5) <i>Available in countries where cleared.</i>	EA	 A white, rectangular medical device with a circular top section. A clear plastic tube is connected to the front. The device has a digital display on the top section.
9016	TNI softFlow junior Hospital System Includes: Humidification chamber autofill Clear-Guard 3 Bacterial/Viral Filter Air bridge for hospital humidifier Dust filters (pack of 5) Oxygen tube Protective caps for oxygen inlet (pack of 5) <i>Available in countries where cleared.</i>	EA	 A white, rectangular medical device with a circular top section. A clear plastic tube is connected to the front. The device has a digital display on the top section.
9012	TNI softFlow junior Home-care System Includes: Dust filters (pack of 5) Oxygen tube Protective caps for oxygen inlet (pack of 5) <i>Available in countries where cleared.</i>	EA	 A white, rectangular medical device with a circular top section. A clear plastic tube is connected to the front. The device has a digital display on the top section.

Hospital Consumables, TNI softFlow 50

PN	Description	UM	Product Image
4746	Humidifier, Hospital, Hygiene Set <i>Available in countries where cleared.</i>	EA	 A clear plastic humidifier chamber with a green internal filter and a red cap, next to a black handle and a yellow and white connector.
4765	Humidifier Rack, Hospital <i>Available in countries where cleared.</i>	EA	 A grey plastic rack with multiple slots for holding humidifiers, featuring the TNI softFlow logo.
4756	Humidification Chamber Auto Fill <i>Available in countries where cleared.</i>	EA	 A clear plastic humidification chamber with a green internal filter and a red cap, labeled INTERSURGICAL.
4757	Clear-Guard 3 Breathing Filter Angled <i>Available in countries where cleared.</i>	EA	 A yellow and white angled breathing filter with a green connector.
4758	Air Bridge Humidifier, Hospital <i>Available in countries where cleared.</i>	EA	 A black, elongated, U-shaped humidifier device with the TNI softFlow logo.


Humidifier, Home Care, TNI softFlow 50

PN	Description	UM	Product Image
4747	Humidifier, Home Care <i>Available in countries where cleared.</i>	EA	
27916	Water Tank, Humidifier, Home Care <i>Available in countries where cleared.</i>	5/Box	
27917	Lid, Humidifier, Home Care <i>Available in countries where cleared.</i>	EA	
27918	Cyclone Element, Humidifier, Home Care <i>Available in countries where cleared.</i>	5/Box	

Parts/Consumables, TNI softFlow 50


PN	Description	UM	Product Image
4759	Dust Filter Cover <i>Available in countries where cleared.</i>	EA	
4760	Dust Filter Reserves <i>Available in countries where cleared.</i>	5/box	
4761	Oxygen Tube 4 m <i>Available in countries where cleared.</i>	EA	
4762	Protective Cap for Oxygen Inlet White <i>Available in countries where cleared.</i>	5/box	

Stand and Carrier Bag, TNI softFlow 50





PN	Description	UM	Product Image
4755	TNI Equipment Cart softFlow 50 <i>Available in countries where cleared.</i>	EA	
301455	TNI Carrier Bag, softFlow 50 <i>Available in countries where cleared.</i>	EA	No Image

Hospital Applicators, TNI softFlow 50

PN	Description	UM	Product Image
4738	Applicator, Hospital, Small softFlow 50 <i>Available in countries where cleared.</i>	EA	
4739	Applicator, Hospital, Standard softFlow 50 <i>Available in countries where cleared.</i>	EA	
4740	Applicator, Hospital, Standard-Plus softFlow 50 <i>Available in countries where cleared.</i>	EA	

PN	Description	UM	Product Image
4741	Applicator, Hospital, Large softFlow 50 <i>Available in countries where cleared.</i>	EA	

Home-care Applicators, TNI softFlow 50

PN	Description	UM	Product Image
4742	Applicator, Home-care, Small softFlow 50 <i>Available in countries where cleared.</i>	EA	
4743	Applicator, Home-care, Standard softFlow 50 <i>Available in countries where cleared.</i>	EA	
4744	Applicator, Home-care, Standard-Plus softFlow 50 <i>Available in countries where cleared.</i>	EA	
4745	Applicator, Home-care, Large softFlow 50 <i>Available in countries where cleared.</i>	EA	

Applicator Accessories, TNI softFlow 50

PN	Description	UM	Product Image
4751	Applicator, Headgear <i>Available in countries where cleared.</i>	EA	
4752	Stretch Band Applicator, Headgear <i>Available in countries where cleared.</i>	EA	
4753	Stretch Band Applicator, Headgear <i>Available in countries where cleared.</i>	5/box	
4754	Applicator Clip <i>Available in countries where cleared.</i>	EA	

Nasal Cannula TNI softFlow Junior


PN	Description	UM	Product Image
4803	NeoFlow nHFOT Cannula, Premature, Red softFlow junior <i>Available in countries where cleared.</i>	EA	No Image
4804	NeoFlow nHFOT Cannula, Infant, Light Purple softFlow junior <i>Available in countries where cleared.</i>	EA	No Image
4805	NeoFlow nHFOT Cannula, Large Infant, Dark Purple softFlow junior <i>Available in countries where cleared.</i>	EA	No Image
4873	NeoFlow nHFOT Cannula, Pediatric, Green, softFlow Junior <i>Available in countries where cleared.</i>	EA	No Image

Applicator Accessories, TNI softFlow junior

PN	Description	UM	Product Image
4807	Inno Tube SoftFlow <i>Available in countries where cleared.</i>	EA	
4808	Temperature Measuring Element Inno Tube SoftFlow <i>Available in countries where cleared.</i>	EA	
4806	Applicator Module junior Inno Tube softFlow <i>Available in countries where cleared.</i>	EA	


Sensors and Cables

Tetherless Sensors

PN	Description	UM	Product Image
9955	Radius PPG Kit, Neo (20) Radius PPG Neo Adhesive Sensors (1) Radius PPG Reusable Chip (1) Radius PPG Wireless Receiver of choice: • MD20 • M20 (not pictured) • R25 (not pictured)	Box	
9954	Radius PPG Kit, Adt (20) Radius PPG Adt Adhesive Sensors (1) Radius PPG Reusable Chip (1) Radius PPG Wireless Receiver of choice: • MD20 • M20 (not pictured) • R25 (not pictured)	Box	
4585	Radius PPG Neo Adult/Neo SpO ₂ Adhesive Sensor Single-patient-use 20/box, non-sterile Weight <3 kg or >40 kg Not made with natural rubber latex Use Replacement tape 4674	Box	
4582	Radius PPG Adt Adult SpO ₂ Adhesive Sensor Single-patient-use 20/box, non-sterile Weight >30 kg Not made with natural rubber latex	Box	
4586	Radius PPG Reusable Chip Reusable Wireless Transmitter 1/box Includes Chip and Chip Holder Not made with natural rubber latex	EA	

PN	Description	UM	Product Image
4588	Radius PPG Wireless Receiver MD20 Wireless Receiver with MD20 Connector 1/box	EA	 A white rectangular wireless receiver with a red MD20 connector and a white cable.
4587	Radius PPG Wireless Receiver M20 Wireless Receiver with M20 Connector 1/box	EA	 A white rectangular wireless receiver with a red M20 connector and a white cable.
4589	Radius PPG Wireless Receiver R25 Wireless Receiver with R25 Connector 1/box	EA	 A white rectangular wireless receiver with a red R25 connector and a white cable.
4302	Centroid™ Patient Position Tracker 10/box	Box	 A white, oval-shaped patient position tracker with the Masimo Centroid logo.


RD rainbow SET Adhesive Sensors (for rainbow SET Devices with SpHb, SpO₂, and SpMet)

PN	Description	UM	Product Image
4026	RD rainbow SET-2 Adt Adult Adhesive Sensors (SpHb, SpO ₂ , SpMet) Single patient use 10 / box, non-sterile Weight >30 kg Not made with natural rubber latex. <i>Requires RD rainbow SET patient cable.</i>	Box	
4027	RD rainbow SET-2 Pdt Pediatric Adhesive Sensors (SpHb, SpO ₂ , SpMet) Single patient use 10 / box, non-sterile Weight 10-50 kg Not made with natural rubber latex. <i>Requires RD rainbow SET patient cable.</i>	Box	
4028	RD rainbow SET-2 Inf Infant Adhesive Sensors (SpHb, SpO ₂ , SpMet) Single patient use 10 / box, non-sterile Weight 3-30 kg Use replacement tape 4439 Not made with natural rubber latex. <i>Requires RD rainbow SET patient cable.</i>	Box	
4029	RD rainbow SET-2 Neo Adult / Neonatal Adhesive Sensors (SpHb, SpO ₂ , SpMet) Single patient use 10 / box, non-sterile Weight <3 kg and > 30 kg Use replacement tape 4440 Not made with natural rubber latex. <i>Requires RD rainbow SET patient cable.</i>	Box	


RD rainbow™ 8λ SpCO Adhesive Sensors (for rainbow SET Devices with SpCO, SpO₂, and SpMet)

PN	Description	UM	Product Image
4034	RD rainbow Adt 8λ SpCO Adult Adhesive Sensors (SpCO, SpO ₂ , SpMet®) Single patient use 10/ box, non-sterile Weight > 30 kg Not made with natural rubber latex. <i>Requires RD rainbow SET patient cable.</i>	Box	
4035	RD rainbow Pdt 8λ SpCO Pediatric Adhesive Sensors (SpCO, SpO ₂ , SpMet) Single patient use 10/ box, non-sterile Weight 10-50 kg Not made with natural rubber latex. <i>Requires RD rainbow SET patient cable.</i>	Box	
4036	RD rainbow Inf 8λ SpCO Infant Adhesive Sensors (SpCO, SpO ₂ , SpMet) Single patient use 10/ box, non-sterile Weight 3-30 kg Use replacement tape 4439 Not made with natural rubber latex. <i>Requires RD rainbow SET patient cable.</i>	Box	
4037	RD rainbow Neo 8λ SpCO Adult/Infant Adhesive Sensors (SpCO, SpO ₂ , SpMet) Single patient use 10/ box, non-sterile Weight < 3 kg and > 30 kg Use replacement tape 4440 Not made with natural rubber latex. <i>Requires RD rainbow SET patient cable.</i>	Box	

RD rainbow 8λ Adhesive Sensors (for rainbow SET Devices with SpO₂ and PVi)

PN	Description	UM	Product Image
4690	RD rainbow Adt 4λ Adult Adhesive Sensor Single patient use 10/ box, non-sterile Weight > 30 kg Not made with natural rubber latex. <i>Requires RD rainbow SET patient cable.</i> <i>For US Markets Only</i>	Box	
4691	RD rainbow Pdt 4λ Pediatric Adhesive Sensor Single patient use 10/ box, non-sterile Weight 10-50 kg Not made with natural rubber latex. <i>Requires RD rainbow SET patient cable.</i> <i>For US Markets Only</i>	Box	
4692	RD rainbow Inf 4λ Infant Adhesive Sensor Single patient use 10/ box, non-sterile Weight 3-30 kg Use replacement tape 4046 Not made with natural rubber latex. <i>Requires RD rainbow SET patient cable.</i> <i>For US Markets Only</i>	Box	
4693	RD rainbow Neo 4λ Adult/Neonatal Adhesive Sensor Single patient use 10/ box, non-sterile Weight < 3 kg and > 30 kg Use replacement tape 4674 Not made with natural rubber latex. <i>Requires RD rainbow SET patient cable.</i> <i>For US Markets Only</i>	Box	

RD rainbow Lite SET® Adhesive Sensors (for rainbow SET Devices with SpO₂, and ORi)

PN	Description	UM	Product Image
4042	RD rainbow Lite SET-1 Adt Adult Adhesive Sensors (SpO ₂ , ORi) Single patient use 10 / box, non-sterile Weight >30 kg Not made with natural rubber latex. <i>Requires RD rainbow SET patient cable.</i> <i>Available in countries where cleared.</i>	Box	
4043	RD rainbow Lite SET-1 Pdt Pediatric Adhesive Sensors (SpO ₂ , ORi) Single patient use 10 / box, non-sterile Weight 10-50 kg Not made with natural rubber latex. <i>Requires RD rainbow SET patient cable.</i> <i>Available in countries where cleared.</i>	Box	
4044	RD rainbow Lite SET-1 Inf Infant Adhesive Sensors (SpO ₂ , ORi) Single patient use 10 / box, non-sterile Weight 3-20 kg Use replacement tape 4046 Not made with natural rubber latex. <i>Requires RD rainbow SET patient cable.</i> <i>Available in countries where cleared.</i>	Box	
4045	RD rainbow Lite SET-1 Neo Adult / Neonatal Adhesive Sensors (SpO ₂ , ORi) Single patient use 10 / box, non-sterile Weight <3 kg > 40 kg Use replacement tape 4047 Not made with natural rubber latex. <i>Requires RD rainbow SET patient cable.</i> <i>Available in countries where cleared.</i>	Box	

rainbow® Adhesive Sensors (for rainbow SET Devices with SpO₂, SpCO, and SpMet)

PN	Description	UM	Product Image
2221	rainbow® R25 Adult Adhesive Sensors (SpO ₂ , SpCO, SpMet) Single patient use 10 / box, non-sterile Weight >30 kg Not made with natural rubber latex. <i>Requires rainbow® RC patient cable</i>	Box	
2222	rainbow® R20 Pediatric Adhesive Sensors (SpO ₂ , SpCO, SpMet) Single patient use 10 / box, non-sterile Weight 10 kg – 50 kg Not made with natural rubber latex. <i>Requires rainbow® RC patient cable</i>	Box	
2220	rainbow® R20-L Infant Adhesive Sensors (SpO ₂ , SpCO, SpMet) Single patient use 10 / box, non-sterile Weight 3 kg – 30 kg Not made with natural rubber latex. Use replacement tape 2624. <i>Requires rainbow® RC patient cable</i>	Box	
2219	rainbow® R25-L Adult / Neonatal Adhesive Sensors (SpO ₂ , SpCO, SpMet) Single patient use 10 / box, non-sterile Weight <3 kg or >30 kg Not made with natural rubber latex. Use replacement tape 2623. <i>Requires rainbow® RC patient cable</i>	Box	

rainbow® Reusable Spot Check Sensors (for rainbow SET Devices with SpHb, SpO₂, SpMet)

PN	Description	UM	Product Image
3420	rainbow® DCI SC-400 Adult reusable sensor, 3 ft. (SpHb, SpO ₂ and SpMet) Weight > 30 kg Not made with natural rubber latex. 400 Spot Checks <i>Requires rainbow®RC Patient Cable</i>	EA	
3421	rainbow® DCI-P SC-400 Pediatric reusable sensor, 3 ft. (SpHb, SpO ₂ and SpMet) Weight 10 – 50 kg Not made with natural rubber latex. 400 Spot Checks <i>Requires rainbow®RC Patient Cable</i>	EA	
3798	rainbow® DCI-mini SC-400 Adult/Pediatric/Infant reusable sensor (SpHb, SpO ₂ and SpMet) Weight ≥ 3 kg Not made with natural rubber latex 400 Spot Checks <i>Requires rainbow®RC series patient cable</i>	EA	
4310	rainbow® Super DCI-mini SC-400 Adult/Pediatric/Infant reusable sensor (SpO ₂ , SpHb, SpCO, and SpMet) Weight ≥ 3 kg Not made with natural rubber latex 400 Spot Checks <i>Requires rainbow®RC series patient cable</i> <i>Available in countries where cleared.</i>	EA	

rainbow® Reusable Sensors (for rainbow SET Devices with SpCO, SpO₂, and SpMet)





PN	Description	UM	Product Image
2696	rainbow® DCI Adult Reusable Sensor, 3 ft. (SpCO, SpMet, SpO ₂) 1 / box, non-sterile Weight > 30 kg Not made with natural rubber latex <i>Requires rainbow® RC Patient Cable</i>	EA	
2697	rainbow® DCI-P Pediatric Reusable Sensor, 3 ft. (SpCO, SpMet, SpO ₂) 1 / box, non-sterile Weight 10 kg - 50 kg Not made with natural rubber latex <i>Requires rainbow® RC Patient Cable</i>	EA	

rainbow® Patient Cables (for rainbow SET Devices)

PN	Description	UM	Product Image
4072	RD rainbow SET MD20-05 RD rainbow 20-pin Patient Cable, 5 ft For use with RD rainbow or RD SET series sensors Not for use with Rad-8 or Rad-5/5v	EA	
4073	RD rainbow SET MD20-12 RD rainbow 20-pin Patient Cable, 12 ft For use with RD rainbow or RD SET series sensors Not for use with Rad-8 or Rad-5/5v	EA	
4256	RD rainbow SET M20-05 RD rainbow M20 Patient Cable, 5 ft For use with RD rainbow or RD SET series sensors	EA	
4257	RD rainbow SET M20-12 RD rainbow M20 Patient Cable, 12 ft For use with RD rainbow or RD SET series sensors	EA	
4237	rainbow® M20-04 rainbow® M20 Patient Cable, 4 ft For use with rainbow® sensors	EA	

PN	Description	UM	Product Image
4238	rainbow® M20-12 rainbow® M20 Patient Cable, 12 ft For use with rainbow® sensors	EA	
2406	rainbow® RC-4 rainbow® 20-pin Patient Cable, 4 ft For use with rainbow® sensors	EA	
2404	rainbow® RC-12 rainbow® 20-pin Patient Cable, 12 ft For use with rainbow® sensors	EA	
3659	rainbow® RC-EXT-8 rainbow® extension cable, 8 ft For use with rainbow® sensors	EA	

PN	Description	UM	Product Image
4076	RD rainbow SET R25-05 RD rainbow 25-pin Patient Cable, 5 ft For use with RD rainbow or RD SET series sensors	EA	
4077	RD rainbow SET RA25-05 RD rainbow 25-pin, right angle Patient Cable, 5 ft For use with RD rainbow or RD SET series sensors	EA	
4078	RD rainbow SET R25-12 RD rainbow 25-pin Patient Cable, 12 ft For use with RD rainbow or RD SET series sensors	EA	
4079	RD rainbow SET RA25-12 RD rainbow 25-pin, right angle Patient Cable, 12 ft For use with RD rainbow or RD SET series sensors	EA	

PN	Description	UM	Product Image
3628	rainbow® RC25-4 rainbow® 25-pin, Patient Cable, 4 ft For use with rainbow® sensors	EA	
3375	rainbow® RC25-4RA rainbow® 25-pin, Patient Cable, 4 ft For use with rainbow® sensors	EA	
3342	rainbow® RC25-12 rainbow® 25-pin, Patient Cable, 12 ft For use with rainbow® sensors	EA	
3343	rainbow® RC25-12RA rainbow® 25-pin, right angle Patient Cable, 12 ft For use with rainbow® sensors	EA	

PN	Description	UM	Product Image
4480	RC-1 EMS, rainbow® Patient Cable rainbow 20-pin Patient Cable, 1 ft For use with rainbow® sensors Note: EMS Cables have larger cable diameter compared to standard patient cables including Kevlar materials for enhanced strength	EA	
4481	RC-4 EMS, rainbow® Patient Cable rainbow 20-pin Patient Cable, 4 ft For use with rainbow® sensors Note: EMS Cables have larger cable diameter compared to standard patient cables including Kevlar materials for enhanced strength	EA	
4483	RC25-4 EMS, rainbow® Patient Cable rainbow 25-pin Patient Cable, 4 ft For use with rainbow® sensors Note: EMS Cables have larger cable diameter compared to standard patient cables including Kevlar materials for enhanced strength	EA	
4485	RC25-4RA EMS, rainbow® Patient Cable rainbow 25-pin, right angle Patient Cable, 4 ft For use with rainbow® sensors Note: EMS Cables have larger cable diameter compared to standard patient cables including Kevlar materials for enhanced strength	EA	


rainbow Acoustic Monitoring® Sensor and Cables

PN	Description	UM	Product Image
4171	RAS-45 Acoustic Respiration Sensor, 3 ft. Adult/Pediatric Adhesive Sensor (RRa) Single Patient Use Weight > 10kg 10/Box Not made with natural rubber latex	Box	
4425	RAS-45 Inf/Neo Acoustic Respiration Sensor, 3ft. Infant/Neonatal Adhesive Sensor (RRa) Single Patient Use Weight < 10kg 10/Box Not made with natural rubber latex	Box	
3475	RAS-125c Acoustic Respiration Cloth Sensor, 3 ft. Adult/Pediatric Adhesive Sensor (RRa) Single Patient Use Weight > 10kg 10/Box Not made with natural rubber late.	Box	
3483	RAS-125c, Short-term Monitoring Acoustic Respiration Cloth Sensor, 3 ft. Adult / Pediatric Adhesive Sensors (RRa) Single patient use 10 / box Weight > 10kg Not made with natural rubber latex.	Box	

PN	Description	UM	Product Image
4279	RD rainbow SET RAM Dual Cable MD20-12 RD & RAS rainbow® 20 pin dual patient cable, 12 ft. For use with RD SET or RD rainbow sensors and RAS series sensors	EA	
4512	RD rainbow SET RAM Dual Cable M20-12 RD & RAS rainbow® M20 dual patient cable, 12 ft. For use with RD SET or RD rainbow sensors and RAS series sensors	EA	
4278	RD rainbow SET RAM Dual Cable R25-12 RD & RAS rainbow® 25 pin dual patient cable, 12 ft. For use with RD SET or RD rainbow sensors and RAS series sensors	EA	
3661	RAM Dual Cable LNC-10 LNCS & RAS 20 pin dual patient cable, 10 ft. For use with LNCS sensors and RAS series sensors	EA	


PN	Description	UM	Product Image
4099	RAM Dual Cable LNC M20-10 LNCS & RAS M20 dual patient cable, 10 ft For use with LNCS sensors and RAS series sensors	EA	
3906	RAM Dual Cable, Red 25 LNC-10 LNCS & RAS 25 pin dual patient cable, 10 ft. For use with LNCS sensors and RAS series sensors	EA	
3600	RAM Dual Cable RC-10 M-LNCS & RAS rainbow® 20 pin dual patient cable, 10 ft For use with rainbow® sensors and RAS series sensors	EA	
4100	RAM Dual Cable M20-10 M-LNCS & RAS rainbow® M20 dual patient cable, 10 ft For use with M-LNCS SpO₂ series or rainbow® series sensors and RAS series sensors	EA	
3503	RAM Dual Cable RC25-10 M-LNCS & RAS rainbow® 25 pin dual patient cable, 10 ft For use with rainbow® sensors and RAS sensors	EA	

Training Kits



PN	Description	UM	Product Image
4287	RAS Training Kit Includes: • 2 RAS-125c • 2 RAS-45 • 1 Sensor Application and Troubleshooting card • Directions for use	EA	
4533	RAS-45 Inf/Neo Sensor Training Kit Includes: • 4 RAS-45 Inf/Neo Sensors • Directions for use	EA	No Image

RD SET Single Patient Use Sensors

PN	Description	UM	Product Image
4000	RD SET Adt Adult SpO ₂ Adhesive Sensor Single-patient-use 20 / box, non-sterile Weight > 30 kg Not made with natural rubber latex	Box	 A white adhesive sensor with a long cable ending in a USB connector. The sensor has a circular window with a crosshair and the Masimo logo. The cable is labeled 'RD SET Adt'.
4001	RD SET Pdt Pediatric SpO ₂ Adhesive Sensor Single-patient-use 20 / box, non-sterile Weight 10 kg – 50 kg Not made with natural rubber latex	Box	 A white adhesive sensor with a long cable ending in a USB connector. The sensor has a circular window with a crosshair and the Masimo logo. The cable is labeled 'RD SET Pdt'.
4002	RD SET Inf Infant SpO ₂ Adhesive Sensor Single-patient-use 20 / box, non-sterile Weight 3 kg – 20 kg Not made with natural rubber latex Use Replacement tape 4046	Box	 A white adhesive sensor with a long cable ending in a USB connector. The sensor has a circular window with a crosshair and the Masimo logo. The cable is labeled 'RD SET Inf'.
4003	RD SET Neo Adult / Neonatal SpO ₂ Adhesive Sensor Single-patient-use 20 / box, non-sterile Weight < 3 kg or > 40 kg Not made with natural rubber latex Use Replacement tape 4047	Box	 A white adhesive sensor with a long cable ending in a USB connector. The sensor has a circular window with a crosshair and the Masimo logo. The cable is labeled 'RD SET Neo'.

PN	Description	UM	Product Image
4004	RD SET NeoPt Neonatal SpO ₂ Adhesive Sensor Single-patient-use 20 / box, non-sterile Weight < 1 kg Not made with natural rubber latex. Use Replacement tape 4048	Box	 A white cable with a connector on the left and a red adhesive sensor on the right. The sensor has a red starburst pattern and the Masimo logo.
4005	RD SET NeoPt-500 Neonatal SpO ₂ Non-adhesive Sensor Single-patient-use 20 / box, non-sterile Weight < 1 kg Not made with natural rubber latex. Use Replacement tape 4094	Box	 A white cable with a connector on the left and a red adhesive sensor on the right. The sensor has a red starburst pattern and the Masimo logo.
4014	RD SET Blue Neonatal / Infant / Pediatric SpO ₂ Adhesive Sensor Single patient use 10 / box, Non-Sterile Weight 2.5 – 30kg Not made with natural rubber latex Use replacement tape 4046	Box	 A white cable with a connector on the left and a blue adhesive sensor on the right. The sensor has a blue starburst pattern and the Masimo logo. The text "RD SET Blue" is printed on the cable.

RD SET Specialty Sensors

PN	Description	UM	Product Image
4011	RD SET Trauma Adult SpO ₂ Adhesive Sensor Single-patient-use 20 / box, non-sterile Weight > 30 kg Not made with natural rubber latex Use Replacement tape 4048	Box	
4012	RD SET Newborn Infant/Pediatric Infant/Pediatric SpO ₂ Adhesive Sensor Single-patient-use 20 / box, non-sterile Weight 3 – 30 kg Not made with natural rubber latex Use Replacement tape 4094	Box	
4013	RD SET Newborn Neonatal Neonatal SpO ₂ Adhesive Sensor Single-patient-use 20 / box, non-sterile Weight < 3 kg Not made with natural rubber latex Use Replacement tape 4048	Box	

RD SET Cabled Sensors

PN	Description	UM	Product Image
4470	RD SET Adt CS-2 Adult SpO ₂ Adhesive Sensors, 2 ft. Single-patient-use 20/Box, non-sterile Weight > 30 kg Not made with natural rubber latex	Box	

PN	Description	UM	Product Image
4471	RD SET Pdt CS-2 Pediatric SpO ₂ Adhesive Sensors, 2 ft. Single-patient-use 20/Box, non-sterile Weight 10-50 kg Not made with natural rubber latex	Box	 A white, circular adhesive sensor with a black cable and a USB connector. The sensor has a small label with the Masimo logo and 'Pdt' text.
4472	RD SET Inf CS-2 Infant SpO ₂ Adhesive Sensors, 2 ft. Single-patient-use 20/Box, non-sterile Weight 3-20 kg Not made with natural rubber latex Use replacement tape 4046	Box	 A white, circular adhesive sensor with a black cable and a USB connector. The sensor has a small label with the Masimo logo and 'Inf' text.
4473	RD SET Neo CS-2 Adult / Neonatal SpO ₂ Adhesive Sensors, 2 ft. Single-patient-use 20/Box, non-sterile Weight < 3 kg or > 40 kg Not made with natural rubber latex Use replacement tape 4047	Box	 A white, circular adhesive sensor with a black cable and a USB connector. The sensor has a small label with the Masimo logo and 'Neo' text.

PN	Description	UM	Product Image
4474	RD SET NeoPt CS-2 Neonatal SpO ₂ Adhesive Sensors, 2 ft. Single-patient-use 20/Box, non-sterile Weight < 1 kg Not made with natural rubber latex Use replacement tape 4048	Box	
4475	RD SET Adt CS-3 Adult SpO ₂ Adhesive Sensors, 3 ft. Single-patient-use 20/Box, non-sterile Weight > 30 kg Not made with natural rubber latex	Box	
4476	RD SET Pdt CS-3 Pediatric SpO ₂ Adhesive Sensors, 3 ft. Single-patient-use 20/Box, non-sterile Weight 10-50 kg Not made with natural rubber latex	Box	

PN	Description	UM	Product Image
4477	RD SET Inf CS-3 Infant SpO ₂ Adhesive Sensors, 3 ft. Single-patient-use 20/Box, non-sterile Weight 3-20kg Not made with natural rubber latex Use replacement tape 4046	Box	
4478	RD SET Neo CS-3 Adult / Neonatal SpO ₂ Adhesive Sensors, 3 ft. Single-patient-use 20/Box, non-sterile Weight < 3 kg or > 40 kg Not made with natural rubber latex Use replacement tape 4047	Box	
4479	RD SET NeoPt CS-3 Neonatal SpO ₂ Adhesive Sensors, 3 ft. Single-patient-use 20/Box, non-sterile Weight < 1 kg Not made with natural rubber latex Use replacement tape 4048	Box	

PN	Description	UM	Product Image
4015	RD SET E1® Adult SpO₂ Disposable Ear Sensor, 3 ft. Single-patient-use 10 / box, non-sterile, non-adhesive Weight > 30 kg Not made with natural rubber latex. Requires Masimo SET® MSLP board, MS-2000 (Version 4.8 or higher) technology or Masimo rainbow SET MX technology	Box	
4016	RD SET TFA-1® Adult / Pediatric SpO₂ disposable tranreflectance forehead sensor, 3 ft. Single-patient-use 10 / box, non-sterile Weight > 10 kg Not made with natural rubber latex Requires Masimo SET® MSLP board, MS-2000 (Version 4.8 or higher) technology or Masimo rainbow SET MX technology	Box	
9992	RD Single Patient Use Conversion Kit Configurable kit allows customers to replace reusable sensors with single-patient-use sensors. Select patient cable based on instrument and select sensors based on patient type and monitoring site Select 2 boxes of RD SET sensors: • PN-4000 RD SET Adt • PN-4001 RD SET Pdt • PN-4002 RD SET Inf • PN-4003 RD SET Neo Select 1 RD rainbow SET or RD SET cable: • PN-4073 RD rainbow SET MD20-12 • PN-4257 RD rainbow SET M20-12 • PN-4078 RD rainbow SET R25-12 • PN-4081 RD SET MD14-12 • PN-4773 RD SET G15-05 • PN-4083 RD SET MP-12 • PN-4085 RD SET GE-12 • PN-4087 RD SET SL-12 • PN-4192 RD SET NK-12	EA	

RD SET Reusable Sensors


PN	Description	UM	Product Image
4050	RD SET DCI Adult Reusable Sensor, 3 ft. 1 / box, non-sterile Weight > 30 kg Not made with natural rubber latex.	EA	 A white, coiled 3-foot cable with a rectangular sensor head at one end and a small, white, rectangular reusable sensor at the other.
4051	RD SET DCI-P Pediatric/Slender Digit Reusable Sensor, 3 ft. 1 / box, non-sterile Weight 10 - 50 kg Not made with natural rubber latex.	EA	 A white, coiled 3-foot cable with a rectangular sensor head at one end and a small, white, rectangular reusable sensor with a red arrow pointing to the digit at the other.
4052	RD SET DBI Adult Soft Reusable Sensor, 3 ft. 1 / box, non-sterile Weight > 30 kg Not made with natural rubber latex.	EA	 A white, coiled 3-foot cable with a rectangular sensor head at one end and a small, white, rectangular reusable sensor with a red arrow pointing to the digit at the other.

PN	Description	UM	Product Image
4053	RD SET TC-I Reusable Tip-Clip EAR Sensor, 3 ft. 1 / box, non-sterile Weight > 30 kg Not made with natural rubber latex.	EA	
4054	RD SET YI Multi-site Reusable Sensor, 3 ft. 1/box, non-sterile Multiple foam and adhesive wraps Weight >1 kg Not made with natural rubber latex.	EA	
4055	RD SET TF-I® Adult Transflectance Forehead Sensor, 3 ft. 1/box, non-sterile Weight >30 kg Not made with natural rubber latex.	EA	

RD SET Patient Cables

PN	Description	UM	Product Image
4103	RD SET MD20 - 05 RD SET 20-pin SpO ₂ Patient Cable, 5 ft.	EA	 A coiled white patient cable with a red connector at one end and a white connector at the other.
4104	RD SET MD20 - 12 RD SET 20-pin SpO ₂ Patient Cable, 12 ft.	EA	 A coiled white patient cable with a red connector at one end and a white connector at the other.
4773	RD SET G15-05 RD SET Patient Cable, 5 ft For use with Rad-G devices and RD SET series sensors	EA	 A coiled white patient cable with a white connector at one end and a white connector at the other.

PN	Description	UM	Product Image
4774	RD SET G15-12 RD SET Patient Cable, 12 ft For use with Rad-G devices and RD SET series sensors	EA	
4080	RD SET MD14 - 05 RD SET Patient Cable, 5 ft For use with RD SET series sensors	EA	
4081	RD SET MD14 - 12 RD SET Patient Cable, 12 ft For use with RD SET series sensors	EA	
4082	RD SET MP - 05 RD SET Dual Key patient cable, 5 ft RD SET to Intellivue Masimo SET® or Philips FAST SpO ₂ For use with RD SET series sensors	EA	



PN	Description	UM	Product Image
4083	RD SET MP - 12 RD SET Dual Key patient cable, 12 ft RD SET to Intellivue Masimo SET or Philips FAST SpO ₂ For use with RD SET series sensors	EA	
4084	RD SET GE - 05 RD SET GE Patient Cable, 5 ft For use with RD SET series sensors	EA	
4085	RD SET GE - 12 RD SET GE Patient Cable, 12 ft For use with RD SET series sensors	EA	
4087	RD SET SL - 12 RD SET SpaceLabs Patient Cable, 12 ft For use with RD SET series sensors	EA	

PN	Description	UM	Product Image
4191	RD SET NK - 05 RD SET Nihon Kohden Patient Cable, 5 ft For use with RD SET series sensors	EA	
4192	RD SET NK - 12 RD SET Nihon Kohden Patient Cable, 12 ft For use with RD SET series sensors	EA	
4095	RD SET EXT - 4 RD SET series extension cable, 4 ft	EA	

RD SET Adapter Cables

PN	Description	UM	Product Image
4105	RD to LNC Adapter Cable RD SET Series sensors to LNC, uSpO ₂ cable, or LNC-MAC patient cable, 1.5 ft	EA	
4090	RD to M-LNC Adapter Cable RD SET Series sensors to M-LNC patient cable, 1.5 ft	EA	
4092	LNCS to RD Adapter Cable LNCS Series to RD patient cable, 1 ft.	EA	

LNCS Single Patient Use Sensors

PN	Description	UM	Product Image
1859	LNCS Adtx Adult SpO ₂ Adhesive Sensors, 18 in. Single patient use 20 / box, sterilizable Weight > 30 kg Not made with natural rubber latex.	Box	
2317	LNCS Adtx-3 Adult SpO ₂ Adhesive Sensors, 3 ft. Single patient use 20 / box, sterilizable Weight > 30 kg Not made with natural rubber latex.	Box	
1860	LNCS Pdtx Pediatric SpO ₂ Adhesive Sensors, 18 in. Single patient use 20 / box, sterilizable Weight 10 kg – 50 kg Not made with natural rubber latex.	Box	

PN	Description	UM	Product Image
2318	LNCS Pdtx-3 Pediatric SpO ₂ Adhesive Sensors, 3 ft. Single patient use 20 / box, sterilizable Weight 10 kg – 50 kg Not made with natural rubber latex.	Box	
1861	LNCS Inf-L Infant SpO ₂ Adhesive Sensors, 3 ft. Single patient use 20 / box, sterilizable Weight 3 kg – 20 kg Not made with natural rubber latex.	Box	
1862	LNCS Neo-L Neonatal SpO ₂ Adhesive Sensors, 3 ft. Single patient use 20 / box, sterilizable Weight < 3 kg or > 40 kg Not made with natural rubber latex.	Box	
1901	LNCS NeoPt-L Neonatal SpO ₂ Adhesive Sensors, 3 ft. Single patient use 20 / box, sterilizable Weight < 1 kg Not made with natural rubber latex.	Box	

PN	Description	UM	Product Image
2918	LNCS E1 Adult SpO₂ disposable ear sensor, 3 ft. Single patient use 10 / box, non-sterile, non-adhesive Weight > 30 kg Not made with natural rubber latex. Requires Masimo SET® MSLP board, MS-2000 (Version 4.8 or higher) technology or Masimo rainbow SET MX technology	Box	
3858	LNCS TFA-1 Adult / Pediatric SpO₂ disposable tranflectance forehead sensor, 3f t Single patient use 10 / box non-sterile Weight > 10 kg Not made with natural rubber latex.	Box	

LNCS Single Patient Use Sensors with Replaceable Tapes

PN	Description	UM	Product Image
2328	LNCS Inf Infant SpO ₂ Adhesive Sensors, 18 in. Single Patient Use 20 / box, sterilizable Weight 3 kg – 20 kg Not made with natural rubber latex. Use replacement tape 2307.	Box	
2319	LNCS Inf-3 Infant SpO ₂ Adhesive Sensors, 3 ft. Single patient use 20 / box, sterilizable Weight 3 kg – 20 kg Not made with natural rubber latex. Use replacement tape 2307.	Box	
2329	LNCS Neo Neonatal SpO ₂ Adhesive Sensors, 18 in. Single patient use 20 / box, sterilizable Weight < 3 kg or > 40 kg Not made with natural rubber latex. Use replacement tape 2308.	Box	
2320	LNCS Neo-3 Neonatal SpO ₂ Adhesive Sensors, 3 ft. Single patient use 20 / box, sterilizable Weight < 3 kg or > 40 kg Not made with natural rubber latex. Use replacement tape 2308.	Box	

PN	Description	UM	Product Image
2330	LNCS NeoPt Neonatal SpO ₂ Adhesive Sensors, 18 in. Single patient use 20 / box, sterilizable Weight < 1 kg Not made with natural rubber latex. Use replacement wrap 2309.	Box	 A white cable with a black connector at one end and a red adhesive sensor at the other. The sensor has a red crosshair and a red dot.
2321	LNCS NeoPt-3 Neonatal SpO ₂ Adhesive Sensors, 3 ft. Single patient use 20 / box, sterilizable Weight < 1 kg Not made with natural rubber latex. Use replacement wrap 2309.	Box	 A white cable with a black connector at one end and a red adhesive sensor at the other. The sensor has a red crosshair and a red dot.
2331	LNCS NeoPt-500 Neonatal SpO ₂ non-adhesive sensor, 18 in. Single patient use 20 / box, sterilizable Weight < 1 kg Not made with natural rubber latex. Use replacement wrap 2322.	Box	 A white cable with a black connector at one end and a red adhesive sensor at the other. The sensor has a red crosshair and a red dot.

LNCS Specialty Sensors

PN	Description	UM	Product Image
2411	LNCS Trauma Adult SpO ₂ Adhesive Sensors Single patient use 20 / box, sterilizable Weight > 30 kg Not made with natural rubber latex. Use replacement wrap 2309.	Box	
2412	LNCS Newborn Neonatal Neonatal SpO ₂ Adhesive Sensors Single patient use 20 / box, sterilizable Weight < 3 kg Not made with natural rubber latex. Use replacement wrap 2309.	Box	
2413	LNCS Newborn Infant / Pediatrics Infant / Pediatric SpO ₂ Adhesive Sensor Single patient use 20 / box, sterilizable Weight 3 kg – 30 kg Not made with natural rubber latex. Use replacement wrap 2322.	Box	




LNCS Reusable Sensors

PN	Description	UM	Product Image
1863	LNCS DCI Adult Reusable Sensor, 3 ft. 1 / box, non-sterile Weight > 30 kg Not made with natural rubber latex.	EA	
1864	LNCS DCI-P Pediatric Reusable Sensor, 3 ft. 1 / box, non-sterile Weight 10 kg – 50 kg Not made with natural rubber latex.	EA	
2653	LNCS DBI Adult Soft Reusable Sensor, 3 ft. 1 / box, non-sterile Weight > 30 kg Not made with natural rubber latex.	EA	
1895	LNCS TC-I Reusable Tip-Clip EAR Sensor, 3 ft. 1 / box, non-sterile Weight > 30 kg Not made with natural rubber latex.	EA	

PN	Description	UM	Product Image
1896	LNCS TF-I Adult Transflectance Forehead, 3 ft. 1 / box, non-sterile Weight > 30 kg Not made with natural rubber latex.	EA	
2258	LNCS YI Multisite Reusable Sensor, 3 ft. 1 / box, non-sterile Multiple Foam and Adhesive Wraps Weight > 1 kg Not made with natural rubber latex.	EA	

Red LNC Patient Cables (for use with Masimo rainbow SET Devices)

PN	Description	UM	Product Image
4252	Red LNC M20-04 LNCS M20 SpO ₂ Patient Cable, 4 ft.	EA	
4253	Red LNC M20-10 LNCS M20 SpO ₂ Patient Cable, 10 ft.	EA	

PN	Description	UM	Product Image
2055	Red LNC-04 LNCS 20-pin SpO ₂ Patient Cable, 4 ft.	EA	 A coiled white patient cable with a red connector at one end and a white connector at the other.
2056	Red LNC-10 LNCS 20-pin SpO ₂ Patient Cable, 10 ft.	EA	 A coiled white patient cable with a red connector at one end and a white connector at the other.
3630	Red 25 LNC-4 LNCS Series 25-pin SpO ₂ Patient Cable, 4 ft	EA	 A coiled white patient cable with a red connector at one end and a white connector at the other.
3376	Red 25 LNC-4RA Series LNCS Series 25-pin right angle SpO ₂ Patient Cable, 4 ft	EA	 A coiled white patient cable with a red connector at one end and a right-angle white connector at the other.
3345	Red 25 LNC-10 Series LNCS Series 25-pin SpO ₂ Patient Cable, 10 ft	EA	 A coiled white patient cable with a red connector at one end and a white connector at the other.

LNC Patient Cables (for use with Masimo SET® Devices)

PN	Description	UM	Product Image
2017	LNC-4 LNCS Series Patient Cable, 4 ft.	EA	
1814	LNC-10 LNCS Series Patient Cable, 10 ft.	EA	
2281	LNC MP10 LNCS to IntelliVue Masimo SET or IntelliVue Philips FAST-SpO ₂ LNCS Dual Key Patient Cable, 10 ft.	EA	
3755	LNC MP4 LNCS to IntelliVue Masimo SET or IntelliVue Philips FAST-SpO ₂ LNCS Dual Key Patient Cable, 4 ft	EA	


PN	Description	UM	Product Image
2430	LNC-4-GE LNCS to GE Patient Cable, 4 ft.	EA	
2016	LNC-10-GE LNCS to GE Patient Cable, 10 ft.	EA	
2432	LNC-SL-10 LNCS to Spacelabs Patient Cable, 10 ft.	EA	
2285	LNC-04-DB9 LNCS to DB9 Connector Patient Cable, 4 ft.	EA	

PN	Description	UM	Product Image
3984	LNC-10-NK LNCS to Nihon Kohden Patient Cable, 10 ft.	EA	
2021	LNC-4-Ext LNC Extension Cable, 4 ft.	EA	


LNCS Adapter Cables

PN	Description	UM	Product Image
2264	LNC MAC-GE LNCS Series to GE® Adapter Cable, 3 m.	EA	
2336	LNC MAC-SL2 LNCS Series to Spacelabs Adapter Cable, 3 m.	EA	

Direct Connect Sensors (for Masimo rainbow SET Devices)

PN	Description	UM	Product Image
2053	Red DCI-dc3 Adult Reusable Direct Connect SpO ₂ Sensor, 3 ft. 1 / box, non-sterile Weight > 30kg Not made with natural rubber latex.	EA	
2256	Red DCIP-dc3 Pediatric Reusable Direct Connect SpO ₂ Sensor, 3 ft. 1 / box, non-sterile Weight 10kg – 50kg Not made with natural rubber latex	EA	
2644	Red DBI-dc8 Adult Soft Reusable Direct Connect SpO ₂ Sensor, 8 ft. 1 / box, non-sterile Weight > 30 kg Not made with natural rubber latex.	EA	
2201	rainbow® DCI-dc3 Adult Reusable Direct Connect Sensor, 3 ft. (SpO ₂ , SpCO, SpMet) 1 / box, non-sterile Weight > 30 kg Not made with natural rubber latex.	EA	
2407	rainbow® DCI-dc8 Adult Reusable Direct Connect Sensor, 8 ft. (SpO ₂ , SpCO, SpMet) 1 / box, non-sterile Weight > 30 kg Not made with natural rubber latex.	EA	
2640	rainbow® DCIP-dc8 Pediatric Reusable Direct Connect Sensor, 8 ft. (SpO ₂ , SpCO, SpMet) 1 / box, non-sterile Weight 10 kg - 50 kg Not made with natural rubber latex.	EA	

Direct Connect Sensors (for Rad-G Pulse Oximeter)

PN	Description	UM	Product Image
4325	Rad-G Reusable Sensor Adult/Pediatric/Infant Reusable Sensor, 3 ft. For direct connection with Rad-G Pulse Oximeter 1/box, non-sterile Weight ≥ 3 kg Not made with natural rubber latex	EA	
4653	Rad-G YI Sensor Multisite Reusable Sensor, 3 ft. For direct connection with Rad-G Pulse Oximeter 1/box, non-sterile Weight > 1 kg Includes 2 foam wraps Not made with natural rubber latex	EA	

Accessories

Demo Tools

PN	Description	UM	Product Image
2389	Mini-Demo Connector - 30 Min Used to demo product (best used to display trending information). Includes RAM waveform	EA	
4186	Mini-Demo Connector ORi - 30 Min Used to demo ORi (best used to display trending information). <i>Available in countries where cleared.</i>	EA	
4266	M20 Demo Connector w/ORi - 30 Min Used to demo ORi (best used to display trending information) <i>Available in countries where cleared.</i>	EA	
4265	M20 Demo Connector - 30 Min Used to demo product (best used to display trending information)	EA	
4352	25-Pin rainbow® Demo Tool - 30 Min Used to demo product (best used to display trending information).	EA	
4353	25-Pin rainbow® Demo Tool - 2 Min Used to demo product (best used for short demonstration).	EA	

Software

PN	Description	UM	Product Image
9899	Masimo Sketch Configuration Software Sketch is a network configuration software for Masimo Devices. Compatible with: - Radical-7 (with or without RDS) - Root and Root NIBPT (with Radical-7) - Rad-97 product family	EA	
9853	Masimo Trace™ Data Analysis and Reporting Tool (USB) Trace is a data download and reporting tool for Masimo devices. Compatible with: - Radical-7 (with or without RDS) - Root and Root NIBPT (with Radical-7, Radius-7 and connected MOC-9 modules) - Rad-97 product family Licensing: - Requires license activation - License duration is 1 year	EA	
4330	Masimo Trace Renewal License Renewal license duration is 1 year	EA	No image

Device Accessories

PN	Description	UM	Product Image
2368	Masimo rainbow SET Tester Tester for devices containing Masimo SET® or Masimo rainbow SET. Tests SpHb, SpCO, SpMet, PVi, Pi, SpO2 and BPM.	EA	
4275	Masimo rainbow® M20 Tester Tester for devices containing Masimo SET or Masimo rainbow SET, M20 instrument connector Tests SpO2, PR, SpCO, SpMet and SpHb	EA	
3502	Masimo rainbow SET Tester Tester for devices containing Masimo SET or Masimo rainbow SET, 25-pin instrument connector. Tests SpO2, PR, SpCO, SpMet and SpHb.	EA	
1593	14-Pin Masimo SET Tester For Oximeter SpO2 and PR Testing Tester for devices containing Masimo SET, 14-pin instrument connector. Tests SpO2 and PR only.	EA	
4249	RD SET Tester Tester for devices containing Masimo SET® or Masimo rainbow SET Connects to RD SET or RD rainbow SET patient cables Testers for SpO2 and PR only	EA	

PN	Description	UM	Product Image
2367	9-Pin Masimo SET Tester Tester for devices containing Masimo SET and connects to LNC patient cables Tests SpO ₂ and PR only.	EA	
2386	Radical-7 Color Screen Replacement Battery For use with Radical-7 Color Screen only.	EA	
1315	Radical Series Replacement Battery For use with Radical and Radical-7 Blue Screen Handheld.	EA	
23794	Radical-7 Touchscreen Replacement Battery, Rechargeable Lithium Ion	EA	
1395	Radical Series Handheld Lock To secure Radical and Radical-7 Blue Screen Handheld in Radical Docking Stations.	EA	
30534	Radical Series Handheld Lock Key To unlock Radical and Radical-7 Blue Screen Handhelds from Docking Stations.	EA	

PN	Description	UM	Product Image
1584	Radical Series Power Cord Lock To secure a power cord to Radical Docking Stations 5 / pack	EA	
2228	Rad-8 Power Cord Lock	EA	
2350	Radical-7 Color Handheld Lock Locks Radical-7 Color Handheld to the Docking Station. Used with PN 2351.	EA	
2351	Radical-7 Color Handheld Lock Key Used for installation of Radical-7 Color Handheld Lock and unlocking handheld from docking station. Used with PN 2350	EA	
38879	Arm Band, Radius-7, Small, White 20 / box	Box	
38880	Arm Band, Radius-7, Medium, White 20 / box	Box	
38881	Arm Band, Radius-7, Large, White 20 / box	Box	


PN	Description	UM	Product Image
19118	Barcode Reader, Black	EA	
101138	USB 1D/2D Barcode reader	EA	
19356	Locking Power Cord, US, 10A, 125V, RoHS	EA	
18313	USB-Null Modem Cable For connecting Root, Rad-97, and Rad-67 to Windows-based PC for downloading trend data with MICT.	EA	


PN	Description	UM	Product Image
17417	USB-to-Serial Adapter	EA	
2208	Water Resistant Protective Carrying Case for Battery Operated Portable Handheld, Red This can be used with Rad-57 and Rad-5/5v Includes rubber label parameter patches	EA	
10368	Radical-7 Ambulation Pouch Pack of 10	EA	No image
1909	Data Transfer Download Cable Used for connecting Rad-5 (with 14-pin connector) to Personal Computer to enable download of trending data.	EA	
4361	Data Transfer Download Cable, Rad-67 Connects to Rad-67 power charging connector (Masimo Proprietary Port) to transfer data (download only) to computer storage via USB connector, and to update software to the device via USB connector.	EA	


PN	Description	UM	Product Image
2063	Data Transfer Download Cable, Red – 20-Pin Data Transfer Download Cable, 20-pin, for Rad-5, Rad-57 and Pronto Trend Data Download.	EA	
1908	TrendCom, Trend Download Software Used with appropriate Data Transfer Download cable to initiate download and de-compression of Rad-5 and Rad-57 trending data to a Personal Computer. Used with serial cable to initiate download and decompression of Radical-7 and Rad-8 trending data.	EA	
1842	Handheld Boot, Gray For use with Rad-5, Rad-5v, Pronto and all Rad-57 Handhelds	EA	
1981	Handheld Boot, Red For use with Rad-5, Rad-5v, Pronto and all Rad-57 Handhelds	EA	
16179	Tele Plast Philips SpO ₂ Connector Plug Compatible with Philips MMS module	EA	
300579	Dual Instrument Carrying Case For use with EMMA(or Radius PCG) and MightySat Rx	EA	

Sensor Accessories

PN	Description	UM	Product Image
4439	RD rainbow SET Inf Replacement Tapes For use with RD rainbow SET Inf sensors 50 / box, non-sterile Not made with natural rubber latex	EA	
4440	RD rainbow SET Neo Replacement Tapes For use with RD rainbow SET Neo sensors 50 / box, non-sterile Not made with natural rubber latex	EA	
2624	Replacement Tapes rainbow® R20-L For use with rainbow® R20-L 50 / box, non-sterile Not made with natural rubber latex	Box	
2623	Replacement Tapes for rainbow® R25-L For use with rainbow® R25-L 50 / box, non-sterile Not made with natural rubber latex	Box	
4674	Neo Replacement Tapes For use with Radius PPG Neo/RD rainbow Neo 4λ Also available for use with RD SET Neo/Neo CS-2/Neo CS-3 and RD rainbow Lite SET Neo 102/box, non-sterile Not made with natural rubber latex	Box	
4046	RD SET Inf Replacement Tapes For use with RD SET Inf/Inf CS-2/Inf CS-3, RD SET Blue, and RD rainbow Lite SET Inf 102 / box, non-sterile Not made with natural rubber latex	Box	
4047	RD SET Neo Replacement Tapes For use with RD SET Neo/Neo CS-2/Neo CS-3, and RD rainbow Lite SET Neo 102 / box, non-sterile Not made with natural rubber latex	Box	
4048	RD SET SofTouch™ Replacement Wraps For use with RD SET NeoPt/NeoPt CS-2/NeoPt CS-3, RD SET Trauma, RD SET Newborn Neonatal 10 / pack, non-sterile Not made with natural rubber latex	Pack	
4094	RD SET NeoPt-500 SofTouch Replacement Wraps For use with RD SET NeoPt-500 and Newborn Infant/Pediatric 10 / pack, non-sterile Not made with natural rubber latex	Pack	
2307	LNCS Replacement Tapes for Inf Series Sensors For use with LNCS Inf/Inf-3 102 / box, non-sterile Not made with natural rubber latex	Box	

PN	Description	UM	Product Image
2308	LNCS Replacement Tapes for Neo Series Sensors For use with LNCS Neo/Neo-3 102 / box, non-sterile Not made with natural rubber latex	Box	
2309	LNCS Replacement SoftTouch Wraps for NeoPt, NeoPt-3, Trauma and Newborn Neonatal Sensors For use with LNCS NeoPt/NeoPt-3, Trauma and Newborn Neonatal 10 / pack, non-sterile Not made with natural rubber latex	Pack	
2322	LNCS Replacement SoftTouch Wraps for NeoPt-500 and Newborn Infant / Pediatric Sensors For use with LNCS NeoPt-500 and LNCS Newborn Infant/Pediatric 10 / pack, non-sterile Not made with natural rubber latex	Pack	
1596	CleanShield® Multisite Wrap For use with YI Sensors Adult / Pediatric / Neonatal 100 / box, non-sterile Not made with natural rubber latex	Box	
1597	Standard Multisite Wrap For use with YI Sensors Adult / Pediatric / Neonatal 100 / box, non-sterile Not made with natural rubber latex	Box	
1598	Standard Petite Wrap For use with YI Sensors Adult slender digit / Pediatric 100 / box, non-sterile Not made with natural rubber latex	Box	
4317	Adhesive Tabs For use with Disposable Adhesive Sensors Adult/ Pediatric/ Infant/ Neonatal/ Neo-Pt 120 / pack, Non Sterile	Pack	
1600	Accessory Adhesive Squares For use with YI Sensors 144 / pack, non-sterile	Pack	

PN	Description	UM	Product Image
1903	Transflectance Sensor Adhesive Pad For use with TF-I Sensors 20 / pack, non-sterile	Pack	
1602	Foam Wrap For use with YI Sensors 12 / pack, non-sterile Not made with natural rubber latex	Pack	
1601	Accessory Clothing Clips For securing reusable sensor cables to patient clothing 5 / pack, non-sterile	Pack	
3929	Masimo Forehead Sensor Headbands For use with forehead sensor 20 / box, non-sterile Not made with natural rubber latex	Box	
2215	Masimo Headband For use with TF-I Sensors 12 / box, non-sterile Not made with natural rubber latex	Box	
21514	LNC Replacement Latch Cover For use with all LNC patient cables 25 covers and 50 pins	Pack	






PN	Description	UM	Product Image
4507	RD Reusable Sensor Replacement Latch For use with RD reusable sensors 25 latches / bag	Bag	
2357	Light Shield For use in strobing environment and high sunlight intensity areas. 5 / Pack	EA	
2815	Masimo Ambient Shield Accessory For use with rainbow® Sensors. 10 / pack	EA	






SatShare Extension Cable





PN	Model	Validated Monitor Interfaces (Plug-In Parameter Modules)*	UM	Host Connector
1605		SatShare Extension Cable, 4 ft.	EA	

SatShare Interface Cables

Note: Do not interface the Radical-7 with any monitor or module not specifically listed in this chart.

PN	Model	Validated Monitor Interfaces (Plug-In Parameter Modules)	UM	Host Connector
1324	D001	4 ft. SatShare Cable for use with: Datex-Ohmeda - AS/3 Patient Monitor (M-NSAT) - System 5 Compact Monitor (M-NSAT)	EA	
1326	D002	4 ft. SatShare Cable for use with: Datex-Ohmeda - AS/3 Patient Monitor (M-NESTPR-00-00 / M-NESTR-00-00) - CardioCap / 5 Monitor - Light Monitor - System 5 Compact Monitor (M-NESTPR-00-00 / M-NESTR-00-00)	EA	
2223	D006	4 ft. SatShare Cable for use with: Datex-Ohmeda System 5 Compact Monitor (M-PRESTN..01)	EA	
2969	D007	4 ft. SatShare Cable for use with: Datex-Ohmeda System 5 Anesthesia Monitor (E-PRESTN)	EA	
1325	DS01	4 ft. SatShare Cable for use with: Corometrics - Maternal / Fetal Monitor Model 118 - Maternal / Fetal Monitor Model 120 Critikon - Dinamap Monitor (117310) Datascope - Expert Monitor with Nellcor SpO₂ (HS-500) - Accutor Monitor with Nellcor SpO₂ - Passport Monitor with Nellcor SpO₂ North American Dräger - Narcomed 4 Anesthesia Machine (MP202) - Vitalert 3200 Monitor (203) Medical Data Electronics - Escort Monitor Witt Biomedical - Frontend05 Patient Monitor	EA	

PN	Model	Validated Monitor Interfaces (Plug-In Parameter Modules)	UM	Host Connector
1365	DS03	4 ft. SatShare Cable for use with: Dynascope Fukuda Denshi DS-5300W (HS-500)	EA	
2979	DS04	4 ft. SatShare Cable for use with: Dynascope Fukuda Denshi DS-5400 (HS-500)	EA	
1357	HP03	5 ft SatShare Cable for use with: Philips / Agilent / HP - Omnicare / Viridia Model 24 / 26 Series Monitor System (M1204A) - Series 50XM Fetal Monitor	EA	
1321	MQ01	4 ft. SatShare Cable for use with: GE / Marquette - Solar 7000 / 8000 Series Monitor (Tram 250SL, Tram 450SL, Tram 650SL, Tram 850A&SL, and SpO₂ Solar Parameter Module) - Dash3000 Monitor	EA	
1789	MS01	2.5 ft. SatShare Cable for use with: Datex-Ohmeda - S5 (E-Masimo-00) Dräger - Infinity Delta (SmartPOD with Masimo SET®) GE / Marquette - Solar 8000 (Tram 451M, Tram 851M, Masimo SET® single parameter module) Philips - IntelliVue MP40 Monitor (MMS Module [Masimo SET®]) GE - Carescape B850 (Patient Data Module [Masimo SET®])	EA	
1368	NK02	3 ft. SatShare Cable for use with: Nihon Kohden - BSM-2301 (Type 9266) - BSM-5105 (Type 9266)	EA	

PN	Model	Validated Monitor Interfaces (Plug-In Parameter Modules)	UM	Host Connector
1840	PM01	4 ft. SatShare Cable for use with: Philips Medical - M3/M4 (MMS Module) - Intellivue Monitor (MMS Module)	EA	
1323	SL01	4 ft. SatShare Cable for use with: SpaceLabs Medical - PC Bedside Monitor (90303) [90465] - PC2 Central Monitor (90315, 90316) [90465] SpaceLabs Medical - Adult/Neonatal Monitor (90621)	EA	
1362	SL02	4 ft. SatShare Cable for use with: SpaceLabs Medical - Ultraview 1700 Bedside Monitor (90387) [90496] - Ultraview UCW Monitor (90385) [90496]	EA	
1322	SM01	4 ft. SatShare Cable for use with: Siemens Medical Systems - Sirecust 1281 Monitor(99731472E2529) - SC 6002XL, SC7000	EA	

Note: Do not interface the Radical-7 with any monitor or module not specifically listed in this chart.



Index

A

Accessories • 121
Applicator Accessories, TNI softFlow 50 • 73
Applicator Accessories, TNI softFlow junior • 74

B

Bedside Device Accessories • 123
Bedside Instruments • 5
Blood Pressure Hoses and Adapters • 42
Bridge™ • 59

D

Demo Tools • 121
Direct Connect Sensors (for Masimo rainbow SET Devices) • 119
Direct Connect Sensors (for Rad-G Pulse Oximeter) • 120
Disposable Blood Pressure Cuffs • 37

E

EMMA® Capnograph • 23

F

Fingertip Pulse Oximeters • 14

G

GE® Healthcare Compatible Devices • 57

H

Handheld Instruments • 10
Home-care Applicators, TNI softFlow 50 • 72
Hospital Applicators, TNI softFlow 50 • 71
Hospital Consumables, TNI softFlow 50 • 68
Humidifier, Home Care, TNI softFlow 50 • 69

I

ISA™ Gas Analyzers • 21
iSpO2® Rx • 15

K

Kite® and UniView™ Supplemental Display • 54

L

LNC Patient Cables (for use with Masimo SET® Devices) • 116
LNCS Adapter Cables • 118
LNCS Reusable Sensors • 113
LNCS Single Patient Use Sensors • 107
LNCS Single Patient Use Sensors with Replaceable Tapes • 110
LNCS Specialty Sensors • 112

 Masimo Corporation

M

Masimo Patient SafetyNet™ System • 45
Masimo rainbow SET™ Parameter Options • 61
Masimo rainbow® Pulse CO-Oximeter® Devices • 5
Masimo SafetyNet • 53
Monitoring Devices • 5

N

NomoLine Sampling Lines • 24
NomoLine with Luer Sampling Lines • 36
NomoLine® Capnography • 21
NomoLine-O Sampling Lines • 31
NomolineTraining Kits • 37
Noninvasive Blood Pressure (NIBP) • 37

O

O3® Regional Oximeter Monitoring • 19

P

Parameter Options and Upgrade Tools • 61
Parts/Consumables, TNI softFlow 50 • 70
Philips® Compatible Devices • 56

R

Radius PCG™ • 22
rainbow Acoustic Monitoring® Sensor and Cables (for rainbow Acoustic Monitoring Devices with RRa®) • 89
rainbow® Adhesive Sensors (for rainbow SET Devices with SpO₂, SpCO®, and SpMet) • 81
rainbow® Patient Cables (for rainbow SET Devices) • 84
rainbow® Reusable Sensors (for rainbow SET Devices with SpCO, SpO₂, and SpMet) • 83
RD rainbow 4λ Adhesive Sensors (for rainbow SET Devices with SpO₂ and PVi) • 79
RD rainbow Lite SET® Adhesive Sensors (for rainbow SET Devices with SpO₂ and ORi) • 80
RD rainbow SET® Adhesive Sensors (for rainbow SET Devices with SpHb®, SpO₂, and SpMet®) • 77
RD rainbow™ 8λ SpCO Adhesive Sensors (for rainbow SET Devices with SpCO, SpO₂, and SpMet) • 78
RD SET Adapter Cables • 106
RD SET Cabled Sensors • 95
RD SET Patient Cables • 102
RD SET Reusable Sensors • 100
RD SET Specialty Sensors • 95
RD SET™ Single Patient Use Sensors • 93
Red LNC Patient Cables (for use with Masimo rainbow SET Devices) • 114
Replica™ • 51
Reusable Blood Pressure Cuffs • 40

S

SatShare Extension Cable • 132

SatShare® Interface Cables • 133

SedLine® Brain Function Monitoring • 17

Sensor Accessories • 129

Sensors and Cables • 75

Software • 122

rainbow® Reusable Spot Check Sensors (for rainbow SET Devices with
SpHb, SpO₂, SpMet • 82

Stand and Carrier Bag, TNI softFlow 50 • 71

T

Temperature • 43

Tetherless Sensors • 75

Therapeutic Devices • 59

TNI softFlow 50 • 67

Training Kits • 92





PLCO-004581/PLM-10062L 1220